



Pool and Spa Cartridge Filters

Pool Filters • Spa Filters • DE Grids • Filter Cleaners



Welcome

The pursuit of producing the best filter cartridges is our endless goal.

Hangzhou Darly Filtration Equipment Co., Ltd., situated in Hangzhou, China, is a distinguished high-tech enterprise dedicated to filter cartridge development and production for over two decades. With an impressive annual output exceeding 6 million filters, Darly has ascended to become one of the world's foremost filter cartridge manufacturers.

Our filters find widespread application in diverse sectors, including Pool & Spa water treatment, as well as vital industries such as Biopharmaceuticals, Microelectronics, Medical, Food & Beverage, Petrochemical, Metal Processing, Automotive, Power Generation, and Drinking Water treatment. The profound insights we've garnered from these industrial domains significantly contribute to the exceptional quality of our Pool & Spa filters.

Our adept technical specialists engage in rigorous research and development endeavors to enhance the efficiency of our filters across all our industry involvements. This acquired knowledge fortifies the advancement of our Pool and Spa filters, acclaimed globally for their superior quality.

Our unwavering commitment involves constant elevation and investment in our cutting-edge research and development facilities, coupled with our technologically advanced laboratories. These resources enable us to swiftly innovate new products and incorporate novel production techniques and technologies, ensuring Darly remains the preferred filter choice.

Leveraging our State-of-the-Art laboratories and proficient technicians, we conduct comprehensive testing to provide impeccable solutions for our valued customers.



With 600+ staff, investing in our team is vital.

Producing 35 million+ filters annually.

Among the world's largest filter cartridge manufacturers.


Opened new 430,000 sqm facility in 2021.

Supplying filters to 100+ countries.

Trusted OEM manufacturer globally.


Early[®]

A Look Inside...




Reinforced End Cap

Screen mesh is put into the end caps directly during production. This will add strength and integrity to the end caps.



Center Core

ABS injection molded center core made with NSF Certified material ensures Safety, Strength and Flow.



Filtration Media

To make the filter more effective, we use trilobal shape material, which is certificated by NSF. This highest quality spun bonded polyester material does not fray, tear and is resistant to Chlorine and Bromine.


Bands

Bands keep pleats evenly spaced to ensure all the filtration area can be used efficiently.



Screwed-thread


The weakest part of a filter is thought to be the screw thread-if this sheers during removal you're looking at a costly engineers bill. We GUARANTEE this for life.



How to identify your pool and spa filter cartridge?

A Measure the outside diameter of the cartridge.(+/- 1mm).

B Measure the overall length of the cartridge in inches (+/- 1/16), including the end caps. Do not include any handles, strings, etc. A more accurate measurement is made by measuring through the center of the cartridge when possible.



C If the top and/or bottom is open, measure the inside diameter of the opening (+/- 1mm). If the end cap is closed make note of its identifying features (i.e. 'Handle', etc.).

D Make note of the manufacturer (OEM) and model number of the filter into which the replacement cartridge will be installed.

E Take note whether or not there is a center core. Also count the number of pleats (+/- 2).



The replacement cartridges catalogue is divided into two sections, Dimensional and by Pool/Spa Manufacturer.

The cartridges are listed alphabetically by original manufacturer, and then each cartridge for that manufacturer is listed from the smallest O.D. (outside diameter) to the largest, then by overall length, top (measurement or handle, etc.), bottom diameter, and description (manufacturer).




Proudly Made With

High Performance Filtration Fabric




- ★ Balanced design
- ★ High-performance trilobal fibre shape
- ★ Excellent uniformity
- ★ High strength and stiffness
- ★ Exceptional dirt-holding capacity



Filtration Media

Excellent Cleanability


Highly-uniform media allows easy and thorough cleaning. With superior thickness and stiffness, it holds up to the rigors of multiple cleanings.



Point-bond Media

Point-bonding Blocks Cleanability

Point-bonding blocks approximately 20% of the media surface. And creates a "deadzone" around the bond that no longer traps new dirt, decreasing cleanability.



Trilobal Shape Is More Efficient

Trilobal fibers deliver 21-40% greater effective surface area when compared to competing products.

The trilobal shape also helps catch particles, increasing efficiency without the pressure drop penalty, meaning less filter cleaning.





OPEN



BAR-HANDLE



CASTLE




CLOSED




CLOSED WITH 2"
SAE THREAD



CLOSED WITH
STRING LOOP




FEMALE THREAD



OPEN WITH
CROSS RIBS



INJECTION MOLDED
CONE ADAPTER




INJECTION MOLDED
KNOB-HANDLE




MPT THREAD




OPEN WITH
BEVELED EDGE



OPEN WITH 12
CONCENTRIC-SLOTS




OPEN WITH STEP



OPEN WITH
TWIST LOCK



SAE THREAD



SEMI CIRCULAR
HANDLE



SLIP FITTING



CLOSED WITH
3 STEP EDGE



CLOSED WITH
STAND OFFS



SNAPS ON



3-1/2" FEMALE
THREAD



TWIST LOCK




HOSE FITTING

Our latest Nucleaner model featuring an innovative Filter Cleaning Tank. Elevate your cartridge cleaning process by effortlessly incorporating your preferred cleaning.

【Brush and Flush】

The Nucleaner provides a comprehensive and efficient cleaning process, resulting in time savings and an extended filter cartridge lifespan.

Enjoy rejuvenated filter performance as the treated cartridge is brought back to its peak condition.



Directions

- Attach to any standard garden hose
- Using the brushes to remove the dirt
- Turn on water and press on the trigger
- Spray the water and cleaner mix into the filter
- Add the cleaning fluid in the filter cleaning tank if you want

nucleaner

The Darilly Nucleaner, a revolutionary pool and spa filter cartridge cleaning device meticulously designed by Darilly. Crafted with precision and durability in mind, this trigger-controlled unit employs top-tier materials and quality bristles. By significantly reducing filter cleaning time, it ensures a remarkably cleaner filter, effectively eliminating more dirt, debris, and grease compared to traditional cleaning methods. The bristles are engineered to be both robust and gentle on the filter media.

Our innovative design combines brushes with high-power water jets, enabling a "brush and flush" action that not only simplifies and enhances filter cleaning, even in the deepest

cartridge pleats, but also demonstrates our commitment to environmental responsibility through reduced water consumption.

The Nucleaner Filter Cleaner boasts optimal balance for effortless usage. Once the cleaning liquid is exhausted, allowing the filter to stand for 1-2 hours (or just 10 minutes with instant cartridge cleaner) is all that's needed. Subsequently, using the water spray and brush, remaining dirt can be easily removed without the need for filter cleaner liquid.

Experience the future of filter maintenance with the Darilly Nucleaner - where innovation meets efficiency.



Replacement
Filter Cartridge

Let Darlly Duck.. Do the dirty work

For Spas and Hot Tubs

*Prevents
scum line
forming*

*Eliminating the
need to scrub the
acrylic shell of
your hot tub*



*Absorbs up to 40
times its weight in
oils,lotions and
cosmetics*

*Reduces
contaminants
from clogging
your filter*

Directions

- Free float in spa or place in pool skimmer
- Depending upon saturation, it may be rinsed and reused

Darlly Duck, is an incredibly talented fellow, he prevents scum lines from forming, which eliminates the need to scrub the acrylic shell of the Spa. He reduces contaminants from clogging your filters and if that was not enough he absorbs 40 times his own weight in oils, lotions and cosmetics.

Darlly Duck likes to float freely and clean up, when one side is dirty, turn him over and he will continue his mission. Every now and again Darlly Duck likes to be rinsed so don't get in a 'flap' buy Darlly Duck now and let him do the dirty work.



Replacement
Filter Cartridge

MOD:3 REPLACEMENT

Direct replacement for System : 3[®] filters

Darlly manufactured the MOD:3 filters with ease in mind.

Designed as direct replacements for the manufacturers original cartridges there are no adapter plates needed simply pull out the old the old filters and replace the new!

Features

- Durable 4oz Trilobal filtration fabric
- Chemical resistant reinforced end caps
- ABS injection molded full flow cores
- Pleat bands ensure pleat stability

MOD:3 Replacement Specifications

Inner Cartridge _ 8-3/4" x 25-1/4"

Outer Cartridge _ 16-1/2" x 18-3/4"

Sold as a set for the S7M120 300 sq.ft. filter

Max flow: 100 GPM,Max PSI:50



**ONE AMAZING
FILTER CARTRIDGE
DOING THE
JOB OF TWO**



PureStream™ **PP PREFILTER**

We fill your pool and spa with bottle water

The water we use to fill a pool or spa is not ready for instant usage now actually. So it becoming more necessary to filter the water before filling you pool or spa.

Darlly PureStream filter can meets FDA and NSF standards. It helps to remove the following contaminants:solids,dirt,sediment, rust,calclum,iron and copper.



PP1254

Directions:

- Attach to any standard garden hose.
- Turn on hose till pool or spa is filled to appropriate levels.
- After use,dlow to dry and store away in dry space.
- Replace filter element when filter is full and restricts water.



PP6903

	O.D	Length	Top	Bottom	Performance
PP6903	2-3/4"	10"	Hose Fitting	Open	The smaller PP6903 filters up to about 10,000 gallons and design for spas and hot tubs, above ground pools,swimming spas and topping off large pools.
PP1254	4-15/16"	12-5-8"	Hose Fitting	Handle	The larger PP1254 filters up to about 40,000 gallons . This is a new design with higher dirt holding capacity and longer service life. Mainly used for filling large bodies of water from above ground pools swimming spas,to in ground pools and sport facility pools.



PureStream™

CARBON PREFILTER



Features:

- Easy to use, attach to any standard garden hose;
- Extends your pool or spa filter life;
- Removes iron, lead and other heavy metals, chloramines, hydrogen sulfide, color, and many other contaminants, even odor-causing organics;
- Reduces demand on your sanitizer.

Directions:

- Attach to any standard garden hose;
- Turn on water and flush filter for 20-30 seconds;
- Turn off the hose when pool or spa is filled to appropriate levels;
- Replace when filter is full and restricts water.

With the ever-increasing amount of foreign contaminants found in tap water, it is becoming more necessary to filter the water before filling your pool or spa.

Our carbon prefilter removes impurities including iron, lead and other heavy metals, chloramines, hydrogen sulfide, color, and many other contaminants, even odor-causing organics. Higher quality fill water reduces demand on your sanitizer and results are often seen immediately.

Drinking water quality, so you'll find other uses around the home, including spot-free car washing. Easy to use, attach the filter to the end of any garden hose and begin the fill.

	O.D	Length	Top	Bottom	Performance
CP1000	2-3/4"	10"	Hose Fitting	Open	The small filter has flow of 2.5 GPM output which saves time. This filter is good for 10,000 gallons , a normal spa needs 200 gallons, so it can be used for about 50 fills .
CP2000	3-9/16"	13-5-8"	Hose Fitting	Open	The small filter has flow of 3.5 GPM output which saves time. This filter is good for 20,000 gallons , a normal spa needs 200 gallons, so it can be used for about 100 fills .



PureStream™

RESIN PREFILTER



Features:

- Easy to use, attach to any standard garden hose;
- Makes the water easier to balance and feel smoother;
- Removes impurities including scale, iron, calcium salt and magnesium salt in the raw water;
- Extends your pool or spa filter life.

Directions:

- Attach to any standard garden hose;
- Turn on water and flush filter for 20-30 seconds;
- Turn off the hose when pool or spa is filled to appropriate levels;
- Replace when filter is full and restricts water.

The resin prefilter will give you a much better feeling of the water to your pool and spa as it can soften the water. It makes the water easier to balance, and makes it feel smoother. The resin in the filter can remove impurities including scale, iron, calcium salt and magnesium salt in the raw water. When the hard water becomes soft, it will also be good for your pool and spa filters. The life time of the system will be longer. You can also use the good quality water around the home, including spot-free car washing. Easy to use, attach the filter to the end of any garden hose and begin the fill.

	O.D	Length	Top	Bottom	Performance
RP1000	2-3/4"	10"	Hose Fitting	Open	The small filter has flow of 2.5 GPM output which saves time. This filter is good for 10,000 gallons , a normal spa needs 200 gallons, so it can be used for about 50 fills .
RP2000	3-9/16"	13-5-8"	Hose Fitting	Open	The small filter has flow of 3.5 GPM output which saves time. This filter is good for 20,000 gallons , a normal spa needs 200 gallons, so it can be used for about 100 fills .



Durable Frames: Stronger, longer-lasting frames.

Advanced Weave: Higher denier, innovative weave.

Resists Wear: Rot, mildew resistance.

Efficient Filtration: Improved dirt-holding, lower pressure drop.

Long Lifespan: Ideal for pool filtration.

Diatomaceous Earth Filters

Heavy-Duty D.E. Filter Grids



Exclusive BLUE frames

- Reinforced Connections and frames
- Stronger Bone



Expert Seams

- Heavy 4 ply thread



Filtration Fabric

- 100% POLYPROPYLENE CLOTH
- Thicker Membrane




Product ID TAGS


- Can offer customized services



DESIGN CONCEPT

- **Darlyly D.E. Grids:** Meticulously crafted to cater to Diatomaceous Earth filter applications. These grids are tailored to provide enhanced dirt-holding capabilities, leading to reduced pressure drop and an extended lifespan.
- **Engineered Strength:** Our grids feature an exclusive blue frame design that not only enhances their aesthetics but also reinforces their structural integrity, ensuring added durability and longevity.
- **Premium Material:** Crafted from 100% Polypropylene cloth, these filters exhibit superior dirt-holding capacity and D.E. cake release. This design empowers them to handle more frequent backwashing cycles, allowing them to outperform the competition.
- **Personalized Touch:** Every D.E. Grid comes with the option to add CUSTOMIZED product tags. These tags not only contribute to an organized appearance but also facilitate easy reading and rapid identification, simplifying the replacement process.





DE GRIDS

Darlly #	DESCRIPTION	WIDTH	LENGTH	PACK	UNIT	Filbur	Pleatco	Unicel
DG-1112	Universal Large 24	11"	12"	8	PCS	FC-9320	PFG-1224	FG-1002
DG-1118	Universal Large 36	11"	18"	8	PCS	FC-9330	PFG-1836	FG-1003
DG-1124	Universal Large 48	11"	24"	8	PCS	FC-9340	PFG-2448	FG-1004
DG-1130	Universal Large 60	11"	30"	8	PCS	FC-9350	PFG-3060	FG-1005
DG-1136	Universal Large 72	11"	36"	8	PCS	FC-9360	PFG-3672	FG-1006
DG-0912	Universal Small 24	9-3/4"	12"	8	PCS	FC-9420	PHG1224	PG-1902
DG-0918	Universal Small 36	9-3/4"	18"	8	PCS	FC-9430	PHG1836	PG-1903
DG-0924	Universal Small 48	9-3/4"	24"	8	PCS	FC-9440	PHG2448	PG-1904
DG-0930	Universal Small 60	9-3/4"	30"	8	PCS	FC-9450	PHG3060	PG-1905
DG-0936	Universal Small 72	9-3/4"	36"	8	PCS	FC-9460	PHG3672	PG-1906
DGS-1112	Universal Pro Kit 24	NA	12"	1	SET	FC-9520	PFS1224	FS-2002
DGS-1118	Universal Pro Kit 36	NA	18"	1	SET	FC-9530	PFS1836	FS-2003
DGS-1124	Universal Pro Kit 48	NA	24"	1	SET	FC-9540	PFS2448	FS-2004
DGS-1130	Universal Pro Kit 60	NA	30"	1	SET	FC-9550	PFS3060	FS-2005
DGS-1136	Universal Pro Kit 72	NA	36"	1	SET	FC-9560	PFS3672	FS-2006



BY Outer Diameter Cartridge listing

All Darlly filter cartridges by measurement listed in ascending numerical order with full product descriptions



Filter Cartridges > BY Measurement



Two Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
20035	2-3/4"	5-1/8"	1-1/16" open	1-1/16" open	3	76	3.5	3.5 sq.ft. Spa-In-A-Box	C-2305
20041	2-3/4"	6"	1-1/16" open	closed	3	75	3.7	3.7 sq.ft. Skim Filter	C-2304
20062	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	3	75	6	6 sq.ft. Harmsco ST/6,American, Pac-Fab,Premier,Rainbow,Swimquip. Swimrite	T-380
20063	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	3	75	6	6 sq.ft. Harmsco OTC/6-4	C-2306
20061	2-5/8"	14-11/16"	1-1/16" open	1-1/16" open	3	41	6	6 sq.ft. Wet Institute	C-2601
20101	2-5/8"	19-15/16"	1-1/16" open	1-1/16" open	3	62	10	10 sq.ft. Encon Spa	C-2610
20042	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	3	41	4	4 sq.ft.Rainbow, Pac-Fab	C-2604
20043	2-7/8"	9-3/4"	hose fitting	closed	3	41	4	4 sq.ft. Fill Filter	C-2699
20065	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	3	62	6	6 sq.ft.American,Pac-Fab,Premier, Rainbow,Swimquip.Swimrite	C-2606
20066	2-7/8"	14-11/16"	1-1/16" open	1-1/16" open	3	41	6	6sq.ft. Wet Institute	C-2607
20081	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	3	84	8	8sq.ft. American, Rainbow	C-2308
20082	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	3	41	8	8 sq.ft. Rainbow 19	C-2608
20131	2-7/8"	14-11/16"	1-1/16" open	1-1/16" open	3	84	12	12 sq.ft. Rainbow	C-2912
20132	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	3	62	12	12 sq.ft. Rainbow 19X	C-2612
20133	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	3	41	12	12 sq.ft. Rainbow 29	C-2613
20151	2-7/8"	17-1/16"	1-1/16" open	1-1/16" open	3	84	14.5	14.5 sq.ft.Rainbow-Hi Flow	C-2302
20181	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	3	62	18	18 sq.ft. Rainbow 29X	C-2618
20191	2-7/8"	17-1/16"	2-1/8" open	2-1/8" open	3	150	8.5	8.5 sq.ft. Rainbow-Chloro	C-2303

Three Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
30022	3-1/4"	3-1/8"	1-13/16" open	1-13/16" open	3	38	2	2 sq.ft. Aqua Leisure(size"3")	C-3303
30081	3-1/4"	9-3/4"	1-1/16" open	1-1/16" open	3	64	8	8 sq.ft. Alcove	C-3608
30121	3-1/4"	14-11/16"	1-1/16" open	1-1/16" open	3	64	12	12 sq.ft. Sylvan	C-3612
30021	3-1/8"	3-11/16"	1-1/8" open	1-1/8" open	3	52	2	2 sq.ft. Intex "E" Skim Filter	C-3302
30082	3-7/8"	7"	2-3/16" open	2-3/16" open	3	150	8	8 sq.ft. Master Spas	C-3310
30031	3-9/16"	3-15/16"	1-3/16" open	1-3/16" open	3	53	2.5	Intex H	N/A

Four Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
40059	4"	3-1/2"	2" open	closed	3	120	5	Aero Spa Filter Cartridge NFC5800	FC-9938
40063	4-1/2"	9-3/4"	1-1/16" open	1-1/16" open	3	80	15	Sta-Rite TX-15	C-4610
40025	4-1/4"	3-3/4"	2-1/16" open	2-1/16" open	3	52	2.5	2.5 sq.ft. Aqua Leisure Size"1",Intex Sand-n-Sun Size"D"	C-4313
40051	4-1/4"	8"	1-15/16" open	1-15/16" open	3	51	5	Coleco F-120/DR-7,Krystal Klear Models 108R/12,Intex Sand-n-Sun, Wet Set,Easy Set Size"A" or "C",Aqua Leisure Size"2"	C-4607

Four Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
40052	4-1/4"	8"	closed	1-15/16" open	3	51	5	SLM, Buddy-L, Waterworks,Empire, Pelican Recreation/AI,Haughs D-8 skim filter,H2O Recreation	C-4304
40053	4-1/4"	8"	1-3/4" open	1-3/4" open	3	51	5	5 sq.ft. General Foam Plastics	C-4306
40055	4-1/4"	8"	1-15/16" open	1-15/16" open	3	51	5	Coleco F-120	C-4606
40057	4-1/4"	5-7/16"	1-15/16" open	1-15/16" open	3	51	4	Bestway Lay-Z-Spa	58094
40064	4-1/4"	2-15/16"	1-5/8" open	1-5/8" open	3	115	5	Intex S1	PIN-4PAIR
40091	4-1/4"	10-7/8"	1-15/16" open	1-15/16" open	3	65	9	9 sq.ft. Haugh's, Jacuzzi Leisure C-11	C-4603
40101	4-1/4"	4"	2-1/16" open	2-1/16" open	3	216	10	10 sq.ft Skim Filter	C-4310
40151	4-1/4"	7-1/8"	semi-circular handle	2" open	3	163	15	15 sq.ft. Icon spas	C-4315
40152	4-1/4"	17-7/8"	1-15/16" open	1-15/16" open	3	65	15	15 sq.ft. Haugh's, Jacuzzi Leisure C-22	C-4604
40251	4-1/4"	12"	semi-circular handle	2" open	3	167	25	25 sq.ft. Icon Spas	C-4329
40501	4-1/4"	23-3/4"	semi-circular handle	2-5/16" open w/molded o-ring	3	202	50	50 sq.ft. Icon Spas	C-4351
40502	4-1/4"	23-3/4"	semi-circular handle	2" open	3	190	60	60 sq.ft. Icon Spas	C-4360
40011	4-1/8"	1-9/16"	2" open	2" open	3	61	1	New Lay Z Spa Filters	58239
40161	4-15/16"	5-1/2"	closed	1-9/10" open	3	177	16	16 sq.ft. Splash Tub	N/A
40257	4-15/16"	6-5/8"	2-1/8" open	1-1/2" male thread/MPT	3	212	25	25 sq.ft.Freeflow Spas TLX,RLX	4CH-22
40258	4-15/16"	6-5/8"	closed	1-1/2" male thread/MPT	3	212	25	25 sq.ft.Freeflow Spas CLX	4CH-23
40259	4-15/16"	9-13/16"	closed	2-1/8" open	3	148	25	25 sq.ft. SantanN/A	C-4328
40302	4-15/16"	10-3/8"	2-1/8" open	2-1/8" open	3	158	30	30 sq.ft. Nemco	C-4429
40303	4-15/16"	10-3/8"	closed	2-1/8" open	3	158	30	30 sq.ft. Skim Filter, Lifestyle	C-4431
40304	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	3	145	30	30 sq.ft. SantanN/A	C-4430
40305	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	3	106	28	28 sq.ft. Martec, Sonfarrel	C-4301
40309	4-15/16"	13-1/2"	S handle	1-1/2" female SAE thread	3	130	30	30 sq.ft. Rising Dragon	4CH-949
40352	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	3	158	35	Rainbow DSF-35, Waterway Plastics	C-4401
40353	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	3	219	35	35 sq.ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4335
40355	4-15/16"	9-1/4"	handle	1-1/2" female SAE thread	3	219	35	35 sq.ft. Waterway	4CH-935
40371	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3	158	37	37 sq.ft. Rainbow, Waterway Plastics, Morgan Spas. Leisure Bay Spas. Custom Molded Products	C-4637
40372	4-15/16"	10"	S handle	1-1/2" female SAE thread	3	210	37	37 sq.ft. Rising Dragon	N/A
40403	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	3	216	40	40 sq.ft. Waterway Plastics	C-4339
40404	4-15/16"	11-5/8"	2-1/8" open	2-1/8" open	3	197	40	40 sq.ft. Dimension One Spas	C-4340
40406	4-15/16"	17-3/8"	2-1/8" open	2-1/8" open	3	176	40	Sonfarrel 40-220242	FC-1619
40451	4-15/16"	12-1/4"	2-1/8" open	2-1/8" open	3	212	45	45 sq.ft. Spa filter	C-4311
40452	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	3	173	45	45 sq.ft. SantanN/A	C-4347

Four Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
40453	4-15/16"	14-7/8"	closed	2-1/8" open	3	173	45	45 sq.ft. SantanN/A	C-4345
40454	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	3	193	50	50 sq.ft. Cal Spas, Martec, Sonfarrel, Advantage Mfg	C-4305
40455	4-15/16"	17-3/4"	2-1/8" open	2-1/8" open	3	143	45	45 sq.ft. SantanN/A	C-4449
40456	4-15/16"	17-3/4"	closed	2-1/8" open	4	143	45	45 sq.ft. SantanN/A	C-4346
40505	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	3	158	50	Rainbow DSF-50, Waterway Plastics	C-4405
40506	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3	212	50	50 sq.ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4950
40507	4-15/16"	17-3/8"	2-1/8" open	2-1/8" open	3	155	50	50 sq.ft. Advantage Electric	C-4349
40751	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	3	210	75	75 sq.ft. Rainbow RTL-75, Custom Molded Products	C-4975
40752	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	3	178	75	75 sq.ft. Waterway Plastics	C-4970
41001	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	3	222	95	95 sq.ft. Waterway Plastics, Cal Spas	C-4995
41002	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	3	210	100	100 sq.ft. Rainbow RTL-100	C-4999
42510	4-15/16"	9-13/16"	2-1/8" open	2-1/8" open	3	148	25	25 sq.ft. SantanN/A	C-4428
42511	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	3	154	32	32 sq.ft. Martec, Sonfarrel, Advantage Mfg.	C-4332
42513	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3	106	25	25 sq.ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4326
42514	4-15/16"	13-5/16"	closed s/raised ring	2-1/8" open	3	106	25	Rainbow Leaf Canister	C-4321
42515	4-15/16"	14-9/16"	2-1/8" open	2-1/8" open	3	94	25	25sq.ft. Sonfarrel	C-4308
42521	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3	106	25	25 sq.ft. Rainbow, Waterway Plastics, Custom Molded Products	C-4625
42522	4-15/16"	13-1/2"	semi-circular handle	2" female SAE thread	3	105	25	25 sq.ft Waterway	4CH-926
40508U	4-15/16"	13-1/2"	S handle	1-1/2" female SAE thread	3	210	50	50 sq.ft. Rising Dragon	4CH-949
40022	4-3/16"	3-1/8"	2" open	2" open	3	61	2.2	Bestway VI 58323	58323
40054	4-3/4"	8"	1-1/4" open	2-7/16" open	3	51	5	Coleco F-110, CR-8	C-4609
40056	4-3/4"	8"	1-1/4" open	2-7/16" open	3	51	5	Coleco F-110, CR-8, Cyclone Pool Vac	C-4608
40071	4-3/4"	8"	1-3/4" open	1-3/4" open	3	60	7	7 sq.ft. General Foam Plastics	C-4307
40082	4-3/4"	11"	1-1/4" open	2-7/16" open	3	57	8	Coleco F-112, F-350, CR-11, DR-11	C-4611
40102	4-3/4"	8"	1-3/4" open	1-3/4" open	3	86	10	10 sq.ft. General Foam Plastics	C-4309
40123	4-3/4"	16"	1-1/4" open	2-7/16" open	3	57	12	Coleco F-750, F-775, F-850, F-875, DR-16	C-4616
40132	4-3/4"	18"	1-1/4" open	2-7/16" open	3	69	16	16 sq.ft. Lomart 60-4316	C-4601
40133	4-3/4"	18"	1-1/4" open	2-7/16" open	3	57	13	Coleco F-225, F-235, DR-18, Lomart 60-4314	C-4618
40207	4-3/4"	8"	handle	1-1/2" SAE	3	160	20	Strong Spas-Antiqua	FC-0126
40281	4-3/4"	11-3/8"	handle	1-1/4" SAE thread	3	150	28	28 sq.ft. Saratoga Spas	PSG27.5
40308	4-3/4"	11-3/8"	handle	1-1/4" SAE	3	150	25	Saratoga SAE	FC-0197
40405	4-3/4"	8-1/16"	handle	2" MPT	3	290	40	Master Spas	FC-0140
42516	4-3/4"	8-1/8"	handle	1-1/2" MPT	3	180	25	Dream Maker filter	PDM25
40104	4-3/8"	4-1/8"	grey end cap	3/8" open	3	90	10	M-SPA Twist Lock 10 sq.ft	N/A

Four Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
40261	4-3/8"	8-1/4"	handle	1-1/2" male thread/MPT	3	115	25	25sq.ft. Vita Spas	4CH-21A
42517	4-3/8"	7-3/4"	1-1/4" open	1-9/10" open	3	120	25	Vita Spa Top Load Open Top	N/A
42518	4-3/8"	7-3/4"	Closed	1-1/2" MPT	3	120	12	Vita Spa Top Load MPT	FC-3029
42519	4-3/8"	7-3/4"	closed	1-9/10" open	3	120	25	Vita Spa Top Load RMPT	N/A
40061	4-5/16"	8"	2-3/16" open	2-3/16" open	3	55	8	Muskin	C-4602
40062	4-5/16"	8"	2-3/16" open	2-3/16" open	3	55	8	8 sq.ft. Muskin FP A2027, Sears, Haugh Products	C-4605
40081	4-5/16"	8"	closed	2-3/16" open	3	55	8	8 sq.ft. Muskin A2300	C-4600
40121	4-5/8"	4-5/8"	handle	1-9/10" open	3	177	12	12 sq.ft. Pleatco Skim Filter, Softsider Spas, Comfort Line Spas	C-4302
40122	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	3	66	12	12 sq.ft. Hayward C120RE	C-4312
40131	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	3	199	13	13 sq.ft. Top Load	4CH-19
40153	4-5/8"	6-3/4"	handle	1-9/10" open	3	150	15	15 sq.ft. Pleatco Skim Filter, Softsider Spas, Vita Spas	C-4303
40154	4-5/8"	5-3/16"	handle	1-1/2" SAE thread	3	199	15	15 sq.ft. Skim Filter, Waterway	4CH-15
40191	4-5/8"	8"	handle	1-1/2" male thread/MPT	3	158	19	19 sq.ft. Top Load	4CH-21
40201	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	3	204	20	20 sq.ft. Top Load	4CH-20
40202	4-5/8"	9-3/4"	handle	1-7/8" open w/ slots	3	138	20	20 sq.ft. Aqua Spa	C-4402
40203	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	3	110	20	20 sq.ft. Hayward CX200RE, American Commander II (In-Line)	C-4320
40204	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	3	111	20	20 sq.ft. American Commander II (In-Line)	C-4620
40205	4-5/8"	6-3/4"	handle	1-1/4" SAE thread	3	204	20	20 sq.ft. Saratoga Spas	4CH-920
40206	4-5/8"	8-1/4"	semi-circular handle	1-1/2" SAE thread	3	160	20	Strong Industries	N/A
40252	4-5/8"	9-3/4"	handle	1-9/10" open	3	173	25	25 sq.ft:Pleatco skim filter, Spa Manufacturers. Gatsby Spas	C-4324
40253	4-5/8"	11-5/8"	handle	1-3/8" open	3	143	25	25 sq.ft. Nemco	C-4403
40254	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	3	138	25	25 sq.ft. Hayward CX200RE, American Commander II (In-Line)	C-4325
40255	4-5/8"	11-5/8"	handle	1-7/8" open w/ slots	3	158	27.5	27.5 sq.ft Saratoga Spa	C-4327
40256	4-5/8"	12"	semi-circular handle	1-1/4" SAE thread	3	139	25	25 sq.ft. Top Load-Dimension One Spas	4CH-950
40260	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	3	173	25	25 sq.ft. Top Load	4CH-24
40271	4-5/8"	11-1/4"	handle	1-1/4" SAE	3	150	27	Saratoga 11	FC-0134
40301	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	3	158	30	30 sq.ft. Top Load	4CH-30
40351	4-5/8"	16"	handle	1-1/2" male thread/MPT	3	145	35	35 sq.ft. Top Load	4CH-35
40401	4-5/8"	15"	semi-circular handle	1-1/4" SAE thread	3	176	40	40 sq.ft. Top Load-Dimension One Spas	4CH-940
40402	4-5/8"	16-3/4"	castle	2-1/16" open	3	158	40	40 sq.ft. Sundance Spas	C-4440
40406	4-5/8"	15-1/4"	handle	1-1/2" MPT	3	175	40	Saratoga 15",1-1/2" MPT	FC-0133

Four Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
40407	4-5/8"	15-1/4"	handle	1-1/4" SAE	3	175	40	Saratoga 15",1-1/4" SAE	FC-0135
40503	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	3	225	50	50 sq.ft. Top Load	4CH-50
40504	4-5/8"	23-3/4"	2-1/16" open	2-1/16" open	3	138	50	50 sq.ft. Grecian Spa	C-4350
40651	4-5/8"	19-5/8"	handle	1-1/2" male thread/MPT	3	217	65	65 sq.ft. Top Load	4CH-65
42001	4-5/8"	19-5/8"	handle	1-1/2" MPT	3	67	20	20 sq.ft. Top load	FC-0171
42002	4-5/8"	7-1/4"	handle	1-1/4" SAE	3	190	20	20 sq.ft. Top Load	FC-0176
42524	4-5/8"	7-1/4"	semi-circular handle	1-1/2" SAE thread	3	190	20	20 sq.ft. Top Load	4CH-925
42525	4-5/8"	8-1/2"	handle	1-1/2" MPT	3	198	25	Dakota Spas	FC-0137

Five Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
50081	5"	8"	closed	2-1/4" open	3	56	8	8 sq.ft. Pelican Rec, H2O Recreation	C-5301
50121	5"	4-9/16"	bar handle	2" female SAE thread	3	150	10	Waterway Rising Dragon	FC-0169
50151	5"	13-5/16"	2-3/8" open	2-3/8" open	3	64	15	15 sq.ft. Jacuzzi CFR-15 (In-Line)	C-5615
50251	5"	13-5/16"	2-3/8" open	2-3/8" open	3	103	25	25 sq.ft. Jacuzzi CFR-25(In-Line)	C-5625
50371	5"	13-5/16"	2-3/8" open	2-3/8" open	3	158	37	37 sq.ft. Jacuzzi CFR-37(In-Line)	C-5635
50511	5"	17-3/8"	2-1/8" open	2-1/8" open	3	190	50	Sonfarrel 50-220252	FC-1635
50513	5"	13-3/8"	2-1/8" open	2-1/8" open	3	190	50	50 sq.ft. Top Load Cart Element	62010
50603	5"	17-3/8"	2-1/8" open	2-1/8" open	3	230	60	Sonfarrel 60-220262	FC-1622
40306	5"	8-1/4"	1-1/2" MPT	closed	3	N/A	30	Customized	N/A
50304	5"	5-1/2"	1-1/2" female SAE	1-1/2" female SAE	3	180	25	Master Filter	PMA16-SK-M
50305	5"	8-15/16"	1-1/2" female SAE	1-1/2" female SAE	3	180	25	Master Filter	PMA30-SK-M
50754	5"	23-5/8"	2-1/8" open	2-1/8" open	3	180	75	75 sq.ft. Top Load Cart Element	62009
50153	5-1/2"	4-3/4"	Closed	2-1/8" open	3	150	15	Customized	N/A
50256	5-1/2"	11-7/8"	1-15/16" open w/12 concentric holes	2-7/8" open	3	133	25	25 sq.ft. Ozone Cartridge (Dimension One Spas)	C-5402
50281	5-1/2"	7-1/4"	3" open	3" open	3	250	28	Dream Maker	PDM28
50402	5-1/2"	17"	1-15/16" open w/12 concentric holes	2-7/8" open	3	133	40	40 sq.ft. Ozone Cartridge (Dimension One Spas)	C-5404
50508	5-1/2"	7-7/8"	semi-circular handle	1-1/2" male thread/MPT	3	225	50	50 sq.ft. Vita Spa	N/A
50512	5-1/2"	10-1/2"	handle	2" MPT	3	165	50	Lay-Z-Boy, Freestyler Series	FC-2815
50602	5-1/2"	10-7/8"	semi-circular handle	1-1/2" MPT	3	200	60	Customized	N/A
50301	5-1/8"	10-1/4"	1-15/16" open	1-15/16" open	3	157	30	30 sq.ft. Hot Springs Spas/Watkins Mfg.(Model FH/IH(220 Volt))	C-5431
50257	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	3	100	25	25 sq.ft. Jacuzzi Whitpool Bath (Front Load)	C-5601
50307	5-11/16"	10-3/16"	2-1/5" open	2-1/5" open	3	159	30	Customized	N/A

Five Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
50503	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	3	224	50	50 sq.ft. Jacuzzi Whitlpool Bath (Front Load)	C-5300
50161	5-3/16"	9"	1-1/16" open	1-5/8" open	3	100	16	16 sq.ft. Premier	C-5616
50221	5-3/16"	11-7/8"	closed w/string handle	1-15/16" open	3	106	22	22 sq.ft. Advanced Spa (Original)	C-5621
50252	5-3/16"	9"	1-5/8" open	1-5/8" open	3	154	25	25 sq.ft. Premier	C-5426
50253	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	3	100	22	22 sq.ft. Premier (Old)	C-5622
50254	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	3	115	25	25 sq.ft. Marquis Spas (Old)	C-5626
50255	5-3/16"	11-7/8"	1-5/8" open	1-5/8" open	3	115	25	25sq.ft. Premier	C-5427
50271	5-3/16"	14-3/4"	1-1/16" open	1-5/8" open	3	100	27	27 sq.ft. Marlin Spa, Romanesque, Waterworks	C-5627
50351	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	3	151	35	35 sq.ft. Marquis Spa (New Style)	5CH-352
50352	5-3/16"	11-15/16"	closed	1-5/8" open	3	158	34	34 sq.ft. Marquis Spas (Old Style)	C-5423
50361	5-3/16"	19-5/8"	1-1/16" open	1-5/8" open	3	100	36	36 sq.ft. Marquis Spas	C-5636
50401	5-3/16"	19-5/8"	1-1/16" open	1-5/8" open	3	109	40	40 sq.ft. Pacific Marquis (Old)	C-5637
50403	5-3/16"	10-3/4"	bar handle	2" male thread/MPT	3	204	40	40 sq.ft. Del Sol Spas	5CH-402
50501	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	3	197	50	50 sq.ft. Marquis Spas (New Style), Cal Spas	5CH-502
50502	5-3/16"	14-1/8"	closed	1-5/8" open	3	180	50	50 sq.ft. Marquis Spas (Old Style)	C-5346
50601	5-3/16"	19-5/8"	closed	1-5/8" open	3	158	58	58sq.ft. Pacific Marquis (New)	C-5434
50604	5-3/16"	12-1/2"	handle	2" MPT	3	235	60	Cal Spas	N/A
50654	5-3/16"	16-1/16"	handle	2" MPT	3	168	65	Cal Spas	N/A
50753	5-3/16"	16-1/8"	bar handle	2" male thread/MPT	3	194	75	75 sq.ft. Cal Spas	5CH-752
53001	5-3/16"	23-1/4"	1-5/8" open	1-5/8" open	3	172	75	75 sq.ft. Premier, Maxi-Sweep	C-5371
50152	5-3/4"	10"	1-7/8" open	1-7/8" open	3	70	15	15 sq.ft. Intex "B" Filter	C-5315
50248	5-3/4"	11-7/8"	2-1/8" open	2-1/8" open	3	98	25	25 sq.ft. Jacuzzi Whitlpool Bath	C-5624
50303	5-3/4"	12"	1-7/8" open	1-7/8" open	3	115	30	30 sq.ft. Intex 58621, Krystal Klear Models 520/530, Sand-n-Sun, Wet Set, East Set	C-5330
50404	5-3/4"	8-15/16"	2-1/8" open	2-1/8" open	3	196	40	C-5302 with 227mm	N/A
50504	5-3/4"	11-7/8"	2-1/8" open	2-1/8" open	3	196	50	50 sq.ft. Teledyne Spa Pak	C-5302
52511	5-3/4"	7-1/16"	closed	1-1/2" SAE thread	3	180	25	Jazzi Spa	N/A
52512	5-3/4"	7-1/16"	closed	2" MPT	3	180	25	Jazzi Spa	FC-2809
50201	5-3/8"	7"	semi-circular handle	3" male thread/MPT	3	235	20	20 sq.ft. LA Spas Sock filter Substitute	5CH-203
50302	5-5/16"	13-9/16"	2" open	2" open	3	84	23	23 sq.ft. Pac-Fab	C-5623
50451	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	3	230	45	45 sq.ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5345
50452	5-5/16"	10"	2-1/8" open	1-1/2" male thread/MPT	3	225	45	45 sq.ft. Freeflow Spas Legend	5CH-45
50651	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	3	223	65	65 sq.ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5374
50801	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	3	223	80	80 sq.ft. Rec Warehouse S2/G2 Spa, Rainbow, Waterway	C-5397

Five Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
51002	5-5/16"	21-5/16"	2-1/8" open	2-1/8" open	3	222	100	100 sq.ft. Waterway, Coast Spas	C-5396
51351	5-5/16"	30-1/8"	2-1/8" open	2-1/8" open	3	222	135	135 sq.ft. Water. Coast Spas	C-5351
50258	5-5/8"	6"	semi-circular handle	1-1/2" male thread/MPT	3	201	25	25 sq.ft. Top Load	5CH-25
50353	5-5/8"	8"	semi-circular handle	1-1/2" male thread/MPT	3	203	35	35 sq.ft. Elite Spas by Maax	5CH-35
50510	5-5/8"	8-1/4"	1-1/2" SAE	closed	3	185	50	50 sq.ft. MoN/Arch Spa	PCS750
50653	5-5/8"	7"	semi-circular handle	1-1/2" male thread/MPT	3	160	25	Wellis Spas	PWL25P4
50655	5-5/8"	7"	semi-circular handle	1-1/2" SAE thread	3	160	25	Wellis Spas	PWL25P3
52513	5-5/8"	8-1/2"	handle	1-1/2" MPT	3	135	25	25 sq.ft. Top Load	FC-0301
52514	5-5/8"	9"	handle	1-1/2" MPT	3	128	25	25 sq.ft. Top Load	FC-0302
50171	5-7/8"	6-1/4"	semi-circular handle	1-1/2" MPT	3	119	17	Sunspa 2014	N/A
50259	5-7/8"	6"	semi-circular handle	male slip fitting w/molded o-ring	3	171	25	25 sq.ft. Seasonmaster (Model 111 Before 1994)	C-5325
50273	5-7/8"	8-1/4"	handle	SAE	3	140	27	Customized	N/A
50405	5-7/8"	9-7/8"	closed	2" MPT	3	180	40	Customized	N/A
50505	5-7/8"	12-3/4"	semi-circular handle	male slip fitting w/molded o-ring	3	161	50	50 sq.ft. Seasonmaster (Model 121 Before 1994)	C-5350
50506	5-7/8"	15-5/8"	handle	1-3/8" open	3	136	50	50 sq.ft. Nemco	C-5405
50507	5-7/8"	12-3/4"	semi-circular handle	male slip fitting w/MPT	3	161	50	50 sq.ft. Seasonmaster (Model 121 After 1994)	C-5349
50751	5-7/8"	19-1/4"	closed	male slip fitting w/molded o-ring	3	160	75	75 sq.ft. Seasonmaster Model 131 Before 1994)	C-5375
50752	5-7/8"	19-1/4"	semi-circular handle	male slip fitting w/MPT	3	160	75	75 sq.ft. Seasonmaster Model 131 After 1994)	C-5376
51001	5-7/8"	25-3/4"	semi-circular handle	male slip fitting w/molded o-ring	3	160	100	100 sq.ft. Seasonmaster Model 141 Before 1994)	C-5399
51003	5-7/8"	25-3/4"	semi-circular handle	male slip fitting w/MPT	3	160	100	100 sq.ft. Seasonmaster Mode 141 After 1994)	C-5398
51250	5-7/8"	6"	semi-circular handle	male slip fitting w/MPT	3	171	25	25 sq.ft. Seasonmaster (Model 111 After 1994)	C-5326
50354	5-7/8"	8"	handle	1-1/2" SAE	3	195	35	Maax Spas	N/A

Six Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
60221	6"	8-1/16"	semi-circular handle	1-1/2" SAE thread	3	120	22	Customized	FC-0359
60251	6"	5-1/2"	semi-circular handle	1-1/2" male thread/MPT	3	205	25	25 sq.ft. Top Load	6CH-25
60252	6"	7"	semi-circular handle	1-1/2" male thread/MPT	3	158	25	25 sq.ft. Top Load	6CH-26
60253	6"	9-3/4"	semi-circular handle	1-7/8" open w/ slots	4	111	25	25 sq.ft. Four Seasons, Aqua Spa	C-6601
60257	6"	5-1/2"	semi-circular handle	1-1/2" SAE thread	3	205	25	25 sq.ft. Top Load	6CH-924

Six Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
60258	6"	6"	semi-circular handle	1-1/2" male thread/MPT	3	170	25	25 sq.ft. Sunrise Spas	PSN25P
60301	6"	10-1/2"	1-15/16" open	1-15/16" open	4	124	30	30 sq.ft. Hot Springs Spas / Watkings Mfg.	C-6430
60304	6"	7-1/2"	closed	off centre male slip fitting	3	170	30	Softub Push-On Filter	N/A
60305	6"	7-1/2"	closed	off centre male slip fitting	3	170	30	Softub Push-On Filter	N/A
60306	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	3	150	30	30 sq.ft. Top Load	N/A
60307	6"	10-1/2"	1-15/16" open	1-15/16" open	3	124	30	30 sq.ft. Hot Springs Spas / Watkings Mfg.	C-6330
60308	6"	7-1/2"	closed	off centre male slip fitting	3	170	30	Softub Push-On Filter	N/A
60331	6"	9"	1-15/16" open	1-15/16" open	3	158	33	33 sq.ft. Hot Springs Spas/Watkings Mfg	C-6433
60351	6"	9-7/8"	semi-circular handle	1-1/2" male thread/MPT	3	156	35	35 sq.ft. Top Load	6CH-35
60352	6"	14-3/4"	semi-circular handle	1-7/8" open w/ slots	4	101	35	35 sq.ft. Four Seasons	C-6603
60354	6"	8"	semi-circular handle	2" male thread/MPT	3	188	35	35 sq.ft. Skim Filter	6CH-352
60356	6"	13-3/4"	handle	1-7/8" open w/ slots	3	110	35	35 sq.ft. Top Load	FC-0357
60401	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	3	225	45	45 sq.ft. Top Load	6CH-940
60402	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	3	225	45	45 sq.ft. stacked top load (upper) Waterway, Custom Molded Products	6CH-941
60403	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	3	225	45	45 sq.ft. stacked top load (upper) Waterway, Custom Molded Products	6CH-942
60406	6"	7-5/8"	semi-circular handle	2" male thread/MPT	3	215	40	40 sq.ft Artesian Spa	PAS40-F2M
60407	6"	9-1/4"	handle	2" MPT	3	180	40	PMA40L-F2M	FC-0317
60408	6"	8-1/2"	handle	1-4/5" open	3	200	40	40sq.ftSundance filter	N/A
60410	6"	8-1/4"	semi-circular handle	1-1/2" MPT	3	215	40	Waterway Front Access 50	PW-W50P4
60411	6"	8-1/4"	semi-circular handle	1-1/2" SAE	3	215	40	Waterway Front Access 50	PW-W50P3
60451	6"	12-3/8"	semi-circular handle	1-1/2" male thread/MPT	3	158	45	45 sq.ft. Top Load	6CH-45
60454	6"	13-1/2"	semi-circular handle	2" SAE thread	3	143	45	Jacuzzi Premium Spas	6CH-945
60471	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	3	225	47	47 sq.ft. Top Load	6CH-47
60501	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	3	158	50	50 sq.ft Top Load	6CH-50
60502	6"	13-7/16"	molded cone handle	1-9/10" open	3	161	50	50 sq.ft.Pleatco skim filter,Hercules	C-6450
60503	6"	19-5/8"	semi-circular handle	1-7/8" open w/ slots	4	107	50	50 sq.ft. Four Seasons	C-6605
60508	6"	8"	semi-circular handle	1-1/2" male thread/MPT	3	213	50	50 sq.ft. Sunrise Spas	6CH-49

Six Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
60601	6"	16-1/8"	semi-circular handle	1-7/8" open w/ slots	4	158	60	60 sq.ft. Pageant Spa	C-6602
60602	6"	16-1/4"	semi-circular handle	1-1/2" male thread/MPT	3	158	60	60 sq.ft. Top Load	6CH-60
60606	6"	17-1/2"	open w/slots	2" SAE	3	142	60	Sundance 2000-286	N/A
60608	6"	17-1/2"	semi-circular handle	2" SAE thread	3	143	60	Jacuzzi Premium Spas	6CH-959
60701	6"	18-3/4"	Removable cap	2" SAE	3	165	70	70sq.ft Jacuzzi filter	FC-2718
60751	6"	14-3/4"	semi-circular handle	1-7/8" open	3	215	75	75 sq.ft. Advanced Spa	C-6475
60752	6"	19-3/4"	semi-circular handle	1-1/2" male thread/MPT	3	158	75	75 sq.ft. Top Load	6CH-75
60756	6"	19"	open w/slots	2" SAE	3	165	75	Sundance 2540-383	N/A
62501	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	3	132	25	25 sq.ft. Top Load	6CH-925
60504	6-1/16"	12-1/16"	1-15/16" open	1-15/16" open	3	165	50	50 sq.ft. Aquatemp, Onyx	C-6405
60753	6-1/16"	17-3/4"	1-15/16" open	1-15/16" open	3	167	75	75 sq.ft. Onyx	C-6407
60754	6-1/16"	18"	1-15/16" open	1-15/16" open	3	167	75	75 sq.ft. Aquatemp	C-6408
60231	6-1/2"	17"	3" open	3" open	4	62	23	Coleco DR-17	C-6617
60302	6-1/2"	22"	3" open	3" open	4	62	20	Coleco DR-22	C-6622
60259	6-1/2"	8"	4 1/16" open	4-1/16" open	3	230	25	Master Filter	PMA25-M
60409	6-1/3"	8-1/16"	2-1/16" open	2-1/16" open	3	200	40	M/Cyclone Cartridge Element 40 sq.ft.	62451
60101	6-1/4"	8"	2-5/8" open	2-5/8" open	4	73	10	10 sq.ft. Muskin A2090	C-6610
60151	6-1/4"	20-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	DE	42	15	15 sq.ft. Quad DE 60	C-6960
60161	6-1/4"	8"	2-5/8" open	2-5/8" open	4	117	16	16 sq.ft. Muskin	C-6616
60201	6-1/4"	8"	2-5/8" open	2-5/8" open	4	146	20	20 sq.ft. Muskin A2030	C-6620
60202	6-1/4"	26-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	DE	42	20	20 sq.ft. Quad DE 80	C-6980
60255	6-1/4"	32-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	DE	42	25	25 sq.ft. Quad DE 100	C-6900
61269	6-1/4"	9-3/4"	oval open	open	3	220	27	Dream Maker Oval Filter	PDM30
60404	6-15/16"	19-3/8"	3-1/2" open	3-1/2" open	3	88	40	40 sq.ft. Jacuzzi CF-40	C-6640
60452	6-15/16"	17-5/8"	2-1/16" open	2-1/16" open	4	110	45	45 sq.ft. Gerico	C-6645
60505	6-15/16"	19-5/8"	2-1/16" open	2-1/16" open	4	110	50	50 sq.ft. Sundance Spas	C-6650
60603	6-15/16"	22-3/8"	closed w/string handle	2-1/16" open	4	113	60	60 sq.ft. Doughboy	C-6659
60604	6-15/16"	29-3/8"	3-1/2" open	3-1/2" open	3	88	60	60 sq.ft Jacuzzi CF-60	C-6660
61352	6-2/9"	31-1/2"	2" open	2" open	3	210	167	Fulfo 134 sq.ft./TC400 Cartridge Element	622820
61353	6-2/9"	31-1/2"	2" open	2" open	3	127	100	Fulfo 134 sq.ft./TC400 Cartridge Element	622830
61354	6-2/9"	31-1/2"	2" open	2" open	3	172	135	Fulfo 134 sq.ft./TC400 Cartridge Element	622810
60271	6-3/4"	5-3/4"	semi-circular handle	2" SAE thread	3	210	27	Wellspring	N/A
60281	6-3/4"	5-15/16"	4-3/4" open	4-3/4" open	3	210	27	27 sq.ft. Bullfrog filter 10-00281	N/A

Six Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
60355	6-3/4"	7-3/4"	semi-circular handle	2" MPT	3	160	35	Jazzy Spa	N/A
60357	6-3/4"	8"	handle	2" MPT	3	145	35	Artesian Spas 50 with Qualiflo	FC-0313
60506	6-3/4"	8"	semi-circular handle	2" male thread/MPT	3	209	50	50 sq.ft. Artesian Spas	6CH-502
60521	6-3/4"	15-1/2"	semi-circular handle	2" SAE thread	3	113	52	52 sq.ft. Jacuzzi Premium	6CH-960
60605	6-3/4"	15-1/2"	open w/slots	2" SAE thread	3	134	60	60 sq.ft. Jacuzzi Premium	6CH-961
60758	6-3/4"	15-1/2"	semi-circular handle	2" SAE thread	3	163	75	Cal Spas, Waterway	6CH-975
60759	6-3/4"	15-3/8"	semi-circular handle	2" SAE thread	3	163	75	Sundance 6540-164	6540-164
60152	6-3/8"	5-1/8"	closed	3-3/4" open w/ step	3	242	15	15 sq.ft. Splash Tub	C-6324
60453	6-3/8"	11-7/8"	3" open	3" open	3	207	45	45 sq.ft. Hot Springs Spas/ Watkings Mfg.	C-6600
60512	6-3/8"	14"	2" open	2" open	3	135	50	Watkins # 78373 – 50 SF Pleated Cartridge	N/A
67501	6-3/8"	14"	2" open	2" open	3	200	75	Watkins # 78372 – 75 SF Pleated Cartridge	N/A
60381	6-5/16"	13"	2-3/4" open	2-3/4" open	3	150	38	38 sq.ft. Superior Spas	N/A
60205	6-5/7"	26-7/9"	2-8/9" open	2-8/9" open	DE	35	20	Element-20 sq.ft. DE Filter	78085
61051	6-5/7"	26-7/9"	2-8/9" open	2-8/9" open	3	180	105	Element-105 sq.ft. Filter For 420 Filter	78079
61351	6-5/7"	26-7/9"	2-8/9" open	2-8/9" open	3	235	135	Filter Element-135 sq.ft Filter For RC 540 Filter	78082
62502	6-5/7"	26-7/9"	2-8/9" open	2-8/9" open	DE	43	25	Element-25 sq.ft. DE Filter	78086
60607	6-5/8"	15-7/16"	open w/slots	2" SAE	3	134	60	Sundance 6541-383	6541-383
60254	6-7/8"	11-7/8"	3-1/2" open	3-1/2" open	3	89	25	25 sq.ft. Jacuzzi CF-25	C-6625
60256	6-7/8"	13-3/4"	2" open	2" open	4	123	45	Fountain Valley Spa	C-6445
60303	6-7/8"	14-7/8"	3-1/2" open	3-1/2" open	4	89	30	30 sq.ft. Jacuzzi Whirlpool Bath	C-6300
60755	6-9/16"	13-5/16"	2-3/8" open	2-3/8" open	3	224	75	75 sq.ft. Waterway DyN/A-Flo XL	C-6375
61001	6-9/16"	17-13/16"	2-3/8" open	2-3/8" open	3	221	100	100 sq.ft. Waterway DyN/A-Flo XL	C-6310

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
70131	7"	5"	injection molded knob handle	injection molded cone adapter	4	113	12.5	12.5 sq.ft. Baker-Hydro HM-12.5	C-7603
70201	7"	6-1/2"	injection molded knob handle	1-1/2" open	4	127	20	20 sq.ft. Doughboy Skim-Line	C-7401
70251	7"	9-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	111	25	25 sq.ft. Hayward CX250RE	C-7626
70252	7"	9-13/16"	3" open	3" open	4	113	25	25 sq.ft. American, Swimquip, Premier	C-7425
70253	7"	9-13/16"	injection molded knob handle	injection molded cone adapter	4	113	25	25 sq.ft. Baker-Hydro HM-25	C-7604
70254	7"	9-13/16"	semi-circular handle	2-1/16" open	4	110	25	25 sq.ft. top load	C-7624

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
70255	7"	11-1/8"	2-15/16" open	2-15/16" open	3	99	25	25 sq.ft Purex CF-25	C-7610
70256	7"	9-13/16"	3" open	3" open	3	113	25	25 sq.ft. American, Swimquip, Premier	C-7625
70258	7"	9-4/5"	bar handle	2-1/16" open	3	90	25	25 sq.ft. Top Load	FC-3086
70301	7"	11-3/4"	semi-circular handle	3" open	4	110	30	30 sq.ft. Skim Filter	C-7630
70302	7"	7-1/4"	4-1/8" open	4-1/8" open	3	265	30	30 sq.ft. Micro Filter, 7-1/4" OAL	C-7330
70303	7"	14-1/8"	2" open	2" open	3	88	30	30 sq.ft. Top Load	FC-3087
70321	7"	8"	semi-circular handle	2" male thread/MPT	3	175	32	32 sq.ft. Top Load-Coleman Spas, Artesian Spas	7CH-322
70322	7"	8"	semi-circular handle	1-9/10" open	4	175	32	32 sq.ft. Softsider Spas, Pleatco skim filter	C-7432
70323	7"	8"	semi-circular handle	1-1/2" male thread/MPT	3	175	32	32 sq.ft. Top Load	7CH-32
70324	7"	8"	handle	1-9/10" open	3	175	32	Coleman, Artesian	FC-0484
70331	7"	14"	2-15/16" open	2-15/16" open	3	99	33	33 sq.ft. Purex CE-33/100	C-7633
70332	7"	14"	2-1/16" open	2-1/16" open	4	99	33	33 sq.ft. Top Load	C-7632
70333	7"	14"	2-15/16" open	2-15/16" open	4	99	33	33 sq.ft. Purex CE-33/100	C-7433
70351	7"	9-13/16"	injection molded knob handle	injection molded cone adapter	4	156	35	35 sq.ft. Baker-Hydro HM-35	C-7404
70352	7"	9-13/16"	3" open	3" open	4	156	35	35 sq.ft. American, Swimquip, Premier	C-7435
70355	7"	7-9/16"	handle	2" MPT	3	197	35	35 sq.ft. Top Load	FC-0419
70401	7"	9-1/8"	injection molded knob handle	1-1/2" open	4	191	40	40 sq.ft. Doughboy Skim-Line	C-7402
70402	7"	9-3/4"	semi-circular handle	1-1/2" male thread/MPT	3	178	40	40 sq.ft. Top Load-Coleman Spas. Vita Spas	7CH-40
70403	7"	9-3/4"	semi-circular handle	1-9/10" open	4	178	40	40 sq.ft Pleatco skim filter, Softsider Spas	C-7439
70404	7"	11-1/8"	2-15/16" open	2-15/16" open	4	155	40	40 sq.ft. Purex CF-40	C-7440
70405	7"	9-3/4"	semi-circular handle	2" male thread/MPT	3	178	40	40 sq.ft. Coleman Spas	7CH-402
70407	7"	13-11/16"	3" open w/step	3" open w/step	3	119	40	40 sq.ft Jacuzzi CE	C-7304
70408	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	120	40	40 sq.ft Hayward CX410RE	C-7442
70409	7"	14-3/4"	semi-circular handle	3" open	4	115	40	40 sq.ft. Skim Filter, Pacific Spa	C-7641
70410	7"	5-15/16"	handle	2" MPT	3	160	40	Master Filter	PMA40SV-F2M-M
70412	7"	14-3/4"	bar handle	3" open	3	178	40	Skim Filter	FC-3079
70413	7"	11-3/4"	bar handle	3" open	4	220	40	Skim Filter	FC-3080
70502	7"	14-3/4"	injection molded knob handle	injection molded cone adapter	4	144	50	50 sq.ft. Baker-Hydro UM-50	C-7405
70503	7"	14-3/4"	semi-circular handle	2" male thread/MPT	3	144	50	50 sq.ft. Coleman Spas	7CH-502
70504	7"	14-3/4"	semi-circular handle	1-7/8" open	4	143	50	50 sq.ft. Goldkey	C-7400
70505	7"	14-3/4"	semi-circular handle	1-9/10" open	4	144	50	50 sq.ft. Pleatco Skim Filter, Vita Spas	C-7449

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
70506	7"	14-3/4"	semi-circular handle	1-1/2" male thread/MPT	3	144	50	50 sq.ft. top load-Coleman Spas, Vita Spas	7CH-50
70507	7"	19-3/8"	3" open	3" open	4	110	50	50 sq.ft. Simquip	C-7652
70508	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	108	50	50 sq.ft. Hayward CX500RE	C-7656
70509	7"	19-5/8"	3" open	3" open	3	110	50	50 sq.ft. American, Premier	C-7650
70510	7"	9-13/16"	3" open	3" open	3	225	50	50 sq.ft Aquasports	C-7352
70511	7"	10-3/4"	semi-circular handle	2" male slip fitting	3	200	50	50 sq.ft. Caldera Spas	C-7451
70517	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	152	50	50 sq.ft. Hayward CE470RE,Sta-Rite PRC50	C-7447
70518	7"	14-5/8"	semi-circular handle	3" open	3	150	50	Customized	N/A
70519	7"	6-1/2"	semi-circular handle	3" open	3	200	30	Customized	N/A
70521	7"	10-1/2"	semi-circular handle	2" male thread/MPT	3	216	52	52 sq.ft. top load-Dimension One Spas	7CH-552
70522	7"	10-1/2"	semi-circular handle	1-1/2" SAE thread	3	216	52	52 sq.ft. Top Load-Dimension One Spas	7CH-975
70551	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	105	55	55 sq.ft. Hayward CX550RE , Muskin P/N 58039, FE-127	C-7455
70561	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	171	56	56 sq.ft. Haywar CE480RE	C-7458
70562	7"	17-3/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	146	56	56 sq.ft. Hayward CX481XRE	C-7456
70601	7"	17-11/16"	3" open w/step	3" open w/ step	3	137	60	60 sq.ft. Jacuzzi CE	C-7306
70602	7"	17-5/8"	injection molded knob handle	1-1/2" open	4	144	60	60 sq.ft. Doughboy Skim-Line	C-7403
70604	7"	14-1/8"	3" open	3" open	4	167	60	60 sq.ft. Clean & Clear Plus, American Quantum	C-7469
70657	7"	14-1/8"	3" open	3" open	4	180	65	Poolco 65	FC-3115
70671	7"	16"	2-15/16" open	2-15/16" open	4	177	67.5	67.5 sq.ft. Purex CF-67.5 (Tango Pools)	C-7467
70702	7"	25-1/4"	3" open	3" open	3	115	70	Poolco 120	FC-3117
70751	7"	14-3/4"	semi-circular handle	2" male thread/MPT	3	216	75	75 sq.ft. Dimnesion One Spas	7CH-752
70752	7"	14-3/4"	semi-circular handle	2" male slip fitting	3	216	75	75 sq.ft. Caldera Spa	C-7479
70753	7"	19-5/8"	3" open	3" open	4	161	75	75 sq.ft. American, Premier	C-7453
70754	7"	19-5/8"	injection molded knob handle	injection molded cone adapter	4	162	75	75 sq.ft. Baker-Hydro	C-7406
70755	7"	29-1/8"	3" open	3" open	4	110	75	75 sq.ft. Swimquip	C-7677
70756	7"	29-3/8"	3" open	3" open	4	110	75	75 sq.ft. American, Premier	C-7675
70757	7"	29-3/8"	3" open	3" open	4	110	75	75 sq.ft. American, Premier	C-7475
70758	7"	29-3/8"	injection molded knob handle	injection molded cone adapter	4	108	75	75 sq.ft. Baker-Hydro HM-75	C-7606
70801	7"	19-5/8"	2-15/16" open	2-15/16" open	4	172	80	80 sq.ft. Purex CF80	C-7480
70804	7"	20"	3" open	3" open	4	170	80	80 sq.ft. Clean & Clear Plus, Wtaerway Crystal Water	C-7470

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
70811	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	176	81	81 sq.ft. Hayward CX580RE	C-7483
70851	7"	27"	3" open	3" open	4	130	85	85 sq.ft. Jandy CL340	C-7459
70852	7"	27"	3" open	3" open	4	175	115	115 sq.ft. Jandy CL460	C-7468
70871	7"	19-1/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	197	87	87 sq.ft. Hayward CX591XRE	C-7485
70881	7"	16-1/2"	3" open	3" open	4	225	87.5	87.5 sq.ft. American Quantum	C-7474
70901	7"	26-1/4"	injection molded knob handle	1-1/2" open	4	144	90	90 sq.ft. Doughboy Skim-Line	C-7409
70902	7"	19"	2-1/2" open w/ beveled edge	1-1/2" male thread/MPT	3	182	90	90 sq.ft. Sundance, 19" w/1-1/2" MPT	7CH-90
70903	7"	20"	3" open	3" open	4	190	90	90 sq.ft. Clean & Clear Plus, American Quantum	C-7476
70906	7"	19-5/8"	3" open	3" open	4	190	90	Poolco 90	FC-3116
70941	7"	19"	3" open	3" open	4	206	93.5	93.5 sq.ft. Purex	C-7481
71002	7"	29-7/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	108	75	75 sq.ft. Hayward CX750RE	C-7676
71003	7"	29-3/8"	3" open	3" open	4	142	100	100 sq.ft. American, Premier	C-7499
71004	7"	29-3/8"	injection molded knob handle	injection molded cone adapter	4	143	100	100 sq.ft. Baker-Hydro UM-100	C-7407
71008	7"	29-7/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	145	100	100 sq.ft. Hayward CX100RE	C-7698
71010	7"	24-3/4"	2-5/8" open	2-5/8" open	4	150	100	100 sq.ft. Pac-Fab Seahorse-400	C-7492
71011	7"	25-1/2"	3" open w/ molded gasket	3" open w/ molded gasket	4	164	100	100 sq.ft. Hayward CX870RE	C-7487
71014	7"	19-3/8"	3" open	3" open	3	222	100	100 sq.ft. Aquasports	C-7399
71052	7"	25-5/8"	2-15/16" open	2-15/16" open	4	172	105	105 sq.ft. Purex CF-105/315	C-7496
71053	7"	26-1/16"	3" open	3" open	4	168	105	105 sq.ft. Clean & Clear Plus, Waterway Crystal Water	C-7471
71054	7"	20-1/4"	3" open	3" open	4	215	105	Amer, Quantum 420	FC-1979
71061	7"	25-1/2"	3" open w/ molded gasket	3" open w/ molded gasket	4	176	106	106 sq.ft. Hayward CX880RE	C-7488
71121	7"	25-1/2"	3" open w/ molded gasket	3" open w/ molded gasket	4	185	112	112 sq.ft. Hayward CX875RE	C-7489
71201	7"	25-1/2"	3" open	3" open	3	100	120	Customized	N/A
71251	7"	30-7/16"	2-5/8" open	2-5/8" open	4	150	125	125 sq.ft. Pac-Fab Seahorse-500	C-7493
71252	7"	32-1/16"	3" open	3" open	4	163	125	125 sq.ft. Clean & Clear Plus, Waterway Crystal Water	C-7472
71253	7"	32-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	159	125	125 sq.ft. Hayward CX1260RE	C-7495
71254	7"	26"	3" open	3" open	4	202	125	125 sq.ft. Clean & Clear Plus, American Quantum	C-7498
71311	7"	32-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	169	131	131 sq.ft. Hayward CX1280RE	C-7494
71371	7"	32-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	4	176	137	137 sq.ft. Hayward CX1380RE	C-7490
71451	7"	33"	3" open	3" open	4	180	145	145 sq.ft. Jandy CL580	C-7482

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
71501	7"	39-3/8"	injection molded knob handle	injection molded cone adapter	4	162	150	150 sq.ft. Baker-Hydro UM-150	C-7408
71516	7"	32-3/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	195	150	150 sq.ft. Top Load	N/A
71801	7"	19-5/8"	2-15/16" open	2-15/16" open	4	129	60	60 sq.ft Purex CF-60	C-7460
73110	7"	9-13/16"	3" open	3" open	3	111	30	7"x3"x9-13/16"	73110
73111	7"	14-1/8"	3" open	3" open	3	175	60	7"x3"x14-1/8"	73111
73112	7"	19-5/8"	3" open	3" open	3	150	90	7"x3"x19-5/8"	73112
73113	7"	25-1/2"	3" open	3" open	3	125	100	7"x3"x25-1/2"	73113
73114	7"	32-5/16"	3" open	3" open	3	110	75	7"x3"x32-5/16"	73114
73115	7"	35-5/16"	3" open	3" open	3	110	110	7"x3"x35-5/16"	73115
73116	7"	36-3/4"	3" open	3" open	3	110	120	7"x3"x36-3/4"	73116
73117	7"	14-1/2"	3" open	3" open	3	138	50	7"x3"x14-1/2"	73117
73121	7"	24"	3" open	3" open	3	110	65	7"x3"x24"	73121
73122	7"	32-3/4"	3" open	3" open	3	169	135	7"x3"x32-3/4"	73122
74371	7"	11-13/16"	3" open	3" open	4	160	43.7	43.7 sq.ft. American Quantum	C-7437
75010	7"	19-5/8"	3" open	3" open	4	110	50	50 sq.ft. American, Premier	C-7450
75011	7"	19-5/8"	injection molded knob handle	injection molded cone adapter	4	110	50	50 sq.ft. Baker-Hydro UM-50	C-7605
75012	7"	19-5/8"	2-15/16" open	2-15/16" open	3	110	50	50 sq.ft. Purex CF-50/150	C-7651
75017	7"	10-3/4"	semi-circular handle	2-11/16" open	3	200	50	50 sq.ft. Caldera Spas (New Style)	C-7350
77510	7"	39-3/8"	injection molded knob handle	injection molded cone adapter	4	110	100	100 sq.ft. Baker-Hydro HM-100	C-7607
77515	7"	14-3/4"	semi-circular handle	2-11/16" open	3	216	75	75 sq.ft. Caldara Spa (New Style)	C-7375
77516	7"	18-7/16"	2-5/8" open	2-5/8" open	4	150	75	75 sq.ft. Pac-Fab Seahorse-300	C-7491
77517	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	4	161	75	75 sq.ft. Hayward CX570RE, Sta-Rite PRC 75	C-7477
77520	7"	14-1/8"	3" open	3" open	3	225	75	75 sq.ft. Aquasports	C-7377
70381	7-1/16"	10-1/4"	handle	1-15/16" open	3	170	38	Weltico 62612	N/A
70571	7-1/16"	15-1/8"	handle	1-15/16" open	3	170	57	Weltico 62613	N/A
70761	7-1/16"	20-1/16"	handle	1-15/16" open	3	170	76	Weltico 62615	N/A
70951	7-1/16"	25"	handle	1-15/16" open	3	170	95	Weltico 62616	N/A
71131	7-1/16"	29-15/16"	handle	1-15/16" open	3	170	113	Weltico 62617	N/A
70652	7-1/2"	14"	2-15/16" open w/step	2-15/16" open w/step	4	174	65	65 sq.ft. Martec/Sonfarrel	C-7416
70653	7-1/2"	14-3/4"	castle	2-1/16" open	3	164	65	65 sq.ft. Sundance Spas	C-7465
70654	7-1/2"	14-3/4"	castle	2-5/8" open	3	164	65	65 sq.ft. Sundance Spas	C-7466
70655	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	4	163	65	65 sq.ft. Rec.Warehouse	C-7415
71001	7-1/2"	20-13/16"	2-15/16" open w/step	2-15/16" open w/step	4	177	100	100 sq.ft. Rec.Warehouse	C-7418

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
71012	7-1/2"	21-7/8"	2-15/16" open w/step	2-15/16" open w/step	4	168	100	100 sq.ft. Martec/Sonfarrel	C-7419
71301	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	4	165	130	130 sq.ft. Rec.Warehouse	C-7413
71505	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	4	189	150	150 sq.ft. Rec.Warehouse	C-7414
75016	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	4	124	50	50 sq.ft. Rec.Warehouse	C-7417
77514	7-1/2"	17-3/4"	castle	2-1/2" open w/ beveled edge	3	154	75	75 sq.ft. Sundance Spas	C-7370
70257	7-1/4"	9-7/8"	3-1/16" open w/step	3-1/16" open w/step	4	103	25	25 sq.ft. Waterco	C-7427
70651	7-1/4"	14-3/4"	2-15/16" open w/step	2-15/16" open w/step	3	175	65	65 sq.ft. Aquatemp	C-7619
71005	7-1/4"	21-5/8"	2-15/16" open w/step	2-15/16" open w/step	3	169	100	100 sq.ft. Advantage Mfg.	C-7302
71006	7-1/4"	29"	2-15/16" open w/step	2-15/16" open w/step	4	135	100	100 sq.ft. Aquatemp	C-7622
71007	7-1/4"	29-1/2"	3-1/16" open w/step	3-1/16" open w/step	4	134	100	100 sq.ft. Waterco, Jandy CT-100	C-7497
71051	7-1/4"	21-13/16"	2-15/16" open w/step	2-15/16" open w/step	3	189	105	105 qs.ft. Aquatemp	C-7621
71351	7-1/4"	29"	2-15/16" open w/step	2-15/16" open w/step	3	182	135	135 sq.ft. Aquatemp	C-7623
71504	7-1/4"	28-13/16"	2-15/16" open w/step	2-15/16" open w/step	3	189	150	150 sq.ft. Advantage Mfg.	C-7303
71507	7-1/4"	29-1/2"	3-1/16" open w/step	3-1/16" open w/step	4	201	150	150 sq.ft. Waterco Trimline CC150	C-7454
75013	7-1/4"	14-5/8"	3-1/16" open w/step	3-1/16" open w/step	4	136	50	50 sq.ft. Waterco, Jandy CT-50	C-7448
75014	7-1/4"	14-3/4"	2-15/16" open w/step	2-15/16" open w/step	4	135	50	50 sq.ft. Aquatemp	C-7618
75015	7-1/4"	19-5/8"	3-1/16" open w/step	3-1/16" open w/step	4	101	50	50 sq.ft. Waterco	C-7457
77511	7-1/4"	19-5/8"	3-1/16" open w/step	3-1/16" open w/step	4	154	75	75 sq.ft. Jandy CT-50	C-7473
77512	7-1/4"	21-13/16"	2-15/16" open w/step	2-15/16" open w/step	4	135	75	75 sq.ft. Aquatemp	C-7620
77513	7-1/4"	29-1/2"	3-1/16" open w/step	3-1/16" open w/step	4	101	75	75 sq.ft. Waterco	C-7478
77519	7-1/4"	14-9/16"	2-15/16" open w/step	2-15/16" open w/step	3	189	75	75 sq.ft. Advantage Mfg.	C-7301
70354	7-1/8"	5-7/8"	closed w/ Ystand-offs	2" open w/ twist lock	3	207	35	35 sq.ft. Dimnesion One Spas	C-7335
70759	7-1/8"	10-1/2"	closed w/ Ystand-offs	2" open w/ twist lock	3	215	75	75 sq.ft. Dimnesion One Spas	C-7367
74010	7-1/8"	7-3/16"	handle	2" MPT threads	3	168	40	PMA40-F2M	PMA40-F2M
71102	7-13/16"	34-13/16"	closed	4-1/16" open	4	204	179	179 sq.ft. Jacuzzi, Cantar, Competition TC330 Tri-Clops Replacement (round)	C-7452
71506	7-13/16"	28-13/16"	closed	4-1/16" open	4	203	147	147 sq.ft. Jacuzzi, Cantar, Competition TC440 Tri-Clops Replacement (round)	C-7441
71802	7-13/16"	22-13/16"	closed	4-1/16" open	4	193	110	110 sq.ft. Jacuzzi, Cantar, Competition TC550 Tri-Clops Replacement (round)	C-7430
70516	7-2/7"	14-5/7"	3-1/9" open	3-1/9" open	3	142	50	T/L Cart Element CC50 30M	62048
70523	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	104	50	T/L Cart Element C50 5M	62041

Seven Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
70524	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	104	50	T/L Cart Element C50 10M	620411
70525	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	104	50	T/L Cart Element C50 20M	6204220
70526	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	104	50	T/L Cart Element C50 30M	62042
70527	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	104	50	T/L Cart Element C50 1M	620421
71020	7-2/7"	19-2/3"	2-14/15" open	2-14/15" open	3	206	100	Filter Element - GX400/CL400 (x4)	78083
71021	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	136	100	T/L Cartridge Element CC100 20MICRON	6205020
71022	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	136	100	T/L Cart Element CC100 30M	62050
71511	7-2/7"	29-1/2"	2-14/15" open	2-14/15" open	3	203	150	Filter Element - GX600/CL600 (X4)	78084
72501	7-2/7"	9-5/7"	3-1/9" open	3-1/9" open	3	108	25	T/L Cart Element C25 5M	62031
72502	7-2/7"	9-5/7"	3-1/9" open	3-1/9" open	3	108	25	T/L Cart Element C25 30M	62040
77504	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	103	75	T/L Cart Element C75 5M	62043
77505	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	103	75	T/L Cart Element C75 10M	620431
77506	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	103	75	T/L Cart Element C75 30M	62044
77507	7-2/7"	29-2/5"	3-1/9" open	3-1/9" open	3	103	75	T/L Cart Element C75 20 Micron	6204420
77508	7-2/7"	19-1/2"	3-1/9" open	3-1/9" open	3	156	75	T/L Cart Element CC75 30M	62049
70656	7-3/4"	15-13/16"	3-1/2" female thread /FPT	2-5/8" open	4	191	75	Harmsco SC/TC 75	C-7674
71009	7-3/4"	9-5/8"	3-1/2" female thread /FPT	2-5/8" open	4	232	55	Harmsco SC/TC 55	C-7655
71503	7-3/4"	29-1/16"	3-1/2" female thread /FPT	2-5/8" open	4	200	155	Harmsco SC/TC 155	C-7697
77518	7-3/4"	19-1/2"	3-1/2" female thread /FPT	2-5/8" open	4	205	105	Harmsco SC/TC 105	C-7685
70259	7-7/8"	6-5/8"	5-1/2" open	4" open	3	128	25	Eco Pure System (Outer Filter)	FC-1008
70361	7-7/8"	6-1/4"	3-3/16" open	4-1/2" open w/ Slots	3	230	32	32 sq. ft. Bullfrog Coreless Filter 10-00282	FC-9960
70501	7-7/8"	11-1/8"	3-1/16" open	3-1/16" open	4	152	50	50 GPM Pac-Fab	C-7678
70603	7-7/8"	14"	3-1/16" open	3-1/16" open	4	146	60	60 GPM Pac-Fab, 60 GPM Wet Institute	C-7660
70802	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	4	122	80	80 GPM Pac-Fab	C-7680
70803	7-7/8"	13-3/16"	semi-circular handle	3-1/16" open	4	157	80	80 sq.ft. Fox Wal-Pak	C-7463
71013	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	4	142	100	100 GPM Pac-Fab, 105 GPM Wet Institute	C-7699
71101	7-7/8"	17-3/4"	semi-circular handle	3-1/16" open	4	208	110	110 sq.ft. Fox Wal-Pak	C-7464
71255	7-7/8"	18-7/16"	string handle	3-1/16" open	4	228	125	Fox Wall-Pak	FC-3094
71502	7-7/8"	33-3/8"	3-1/16" open	3-1/16" open	4	148	150	150 GPM Pac-Fab	C-7679
74001	7-7/8"	26-1/8"	3-1/16" open	3-1/16" open	4	170	133	133 sq.ft. Wet Insitute	C-7688

Eight Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
80402	8"	6-3/4"	4" open w/ raised ring	4" open w/ raised ring	3	267	40	40 sq.ft. Micro Filter	C-8341
80501	8"	9"	2-1/16" open	2" male slip fitting	3	193	50	50 sq.ft. Coleman Spas	C-8450
80503	8"	6"	semi-circular handle	2" SAE thread	3	250	50	50 sq.ft. Bullfrog Spas	8CH-950
80601	8"	9-1/4"	semi-circular handle	2" male thread/MPT	3	222	60	60 sq.ft. Top Load-Master Spas	8CH-66
80602	8"	11-5/8"	semi-circular handle	2" male thread/MPT	3	177	60	60 sq.ft. Continental Spa	8CH-60
80702	8"	9-1/4"	semi-circular handle	2" male thread/MPT	3	258	70	70 sq.ft. Top Load-Master Spas	FC-0516
80753	8"	13"	2-1/16" open	2" male slip fitting	3	197	75	75 sq.ft. Coleman Spas	C-8475
80757	8"	12-3/4"	handle	2" MPT	3	197	75	Top Load/Master Spa	FC-0525
80851	8"	12-3/4"	injection molded knob handle	2" male thread/MPT	3	224	85	85 sq.ft. Diamante Spas	8CH-852RA
80952	8"	15-1/2"	semi-circular handle	2" male thread/MPT	3	259	95	95 sq.ft. Sundance Spas, Jacuzzi	8CH-102
81004	8"	16-1/2"	semi-circular handle	3-5/8" open w/ lip seal	3	259	100	100 sq.ft. Caldera	C-8399
81008	8"	16-1/2"	3-1/8" open w/ molded gasket	3-1/8" open w/ molded gasket	3	259	100	100 sq.ft. Caldera	C-8300
81203	8"	18"	injection molded knob handle	2" male thread/MPT	3	224	120	120 sq.ft. Diamante Spas	8CH-202RA
80251	8-1/2"	17"	N/A	N/A	3	186	25	Master Spas EP Flat Filter	FC-1004
80301	8-1/2"	19"	male slip fitting	2-1/5" open	Special	46	30	Sundance 6540-507	FC-2791
80302	8-1/2"	7"	1-9/10" open	1-1/2" MPT	3	150	30	Circ Pump	N/A
80401	8-1/2"	10-3/4"	semi-circular handle	4-1/16" open	3	140	40	40 sq.ft. Hayward CX400RE Skim Filter	C-8340
80502	8-1/2"	7-1/4"	1-9/10" open	2-3/8" open w/ slots	3	258	50	50 sq.ft. Vita Spa	C-8350
80504	8-1/2"	7-1/4"	semi-circular handle	2" male thread/MPT	3	258	50	50 sq.ft. Vita Spa	8CH-502
80507	8-1/2"	11-4/5"	handle	inner thread 73mm	3	162	51	PWK50	PWK50
80651	8-1/2"	10-1/2"	3" open	3" open	3	234	65	65 sq.ft. Hot Springs Spas/Watkins Mfg.	C-8465
80752	8-1/2"	17-3/8"	4-1/16" open w/molded gasket	4-1/16" open w/molded gasket	4	153	75	75 sq.ft. Hayward CX800RE Skim Filter	C-8600
81001	8-1/2"	15-3/16"	2-3/16" open	3-1/8" open	3	186	100	100 sq.ft. Rec. Warehouse, Jacuzzi Lersure	C-8310
81002	8-1/2"	23-5/16"	4-1/16" open w/molded gasket	4-1/16" open w/molded gasket	4	153	100	100 sq.ft. Hayward CX1100RE Skim Filter	C-8610
81151	8-1/2"	17-3/4"	castle crossed	2-1/2" open	3	225	115	Sundance	FC-2751
81501	8-1/2"	22-11/16"	2-3/16" open	3-1/8" open	3	189	150	150 sq.ft. Rec. Warehouse, Jacuzzi Lersure	C-8315
80371	8-11/16"	9-3/4"	4-3/16" open	4-3/16" open w/12 concentric slots	4	195	37	37 sq.ft. Sta-Rite 35TX, 35TXR, 35GPM-TX	UHD-SR-35

Eight Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
80372	8-11/16"	9-3/4"	4-3/16" open	4-3/16" open w/12 concentric slots	3	195	37	37 sq.ft. Sta-Rite 35TX, 35TXR, 35GPM-TX	SC3-SR35
80506	8-11/16"	13-5/16"	4-3/16" open	4-3/16" open w/12 concentric slots	4	195	52	52 sq.ft. Sta-Rite 50TX, 50GPM-TX, 50TXR, T-50TX, T-50TXR, PTM50	UHD-SR50
80521	8-11/16"	13-5/16"	4-3/16" open	4-3/16" open w/12 concentric slots	3	195	52	52 sq.ft. Sta-Rite 50TX, 50GPM-TX, 50TXR, T-50TX, T-50TXR, PTM50	SC3-SR50
80701	8-11/16"	18-3/16"	4-3/16" open	4-3/16" open w/12 concentric slots	4	195	72	72 sq.ft. Sta-Rite 70TX, 70GPM-TX, 50TXR, T-70TX, T-70TXR, PTM70	UHD-SR70
80721	8-11/16"	18-3/16"	4-3/16" open	4-3/16" open w/12 concentric slots	3	195	72	72 sq.ft. Sta-Rite 70TX, 70GPM-TX, 50TXR, T-70TX, T-70TXR, PTM70	SC3-SR70
81003	8-11/16"	25-11/16"	4-3/16" open	4-3/16" open w/12 concentric slots	4	195	102	102 sq.ft. Sta-Rite 100TX, 100GPM-TX, 100TXR, T-100TX, T-100TXR, PTM100	UHD-SR100
81021	8-11/16"	25-11/16"	4-3/16" open	4-3/16" open w/12 concentric slots	3	195	102	102 sq.ft. Sta-Rite 100TX, 100GPM-TX, 100TXR, T-100TX, T-100TXR, PTM100	SC3-SR100
81351	8-11/16"	34-1/2"	4-3/16" open	4-3/16" open w/12 concentric slots	4	195	135	135 sq.ft. Sta-Rite T-135TX (Posi-Flo)	UHD-SR135
81352	8-11/16"	34-1/2"	4-3/16" open	4-3/16" open w/12 concentric slots	3	195	135	135 sq.ft. Sta-Rite T-135TX (Posi-Flo)	SC3-SR135
81371	8-11/16"	31-1/4"	4-3/16" open	4-3/16" open w/12 concentric slots	3	216	137	137 sq.ft. Sta-Rite 135TX, 135GPM-TX, 135TXR, T-135TX, T-135TXR, PTM135	SC3-SR137
81372	8-11/16"	31-1/4"	4-3/16" open	4-3/16" open w/12 concentric slots	4	216	137	137 sq.ft. Sta-Rite 135TX, 135GPM-TX, 135TXR, T-135TX, T-135TXR, PTM135	UHD-SR137
80505	8-15/16"	10-1/4"	3-3/4" open	3-3/4" open	4	162	50	50 sq.ft. Astral 2505 CE Terra	C-8449
80755	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	4	145	75	75 sq.ft. Hayward CX760RE, Sta-Rite PXC-75, Waterway Pro Clean 75, Waterway Clearwater II 75	C-8411
80756	8-15/16"	15"	3-3/4" open	3-3/4" open	4	165	75	75 sq.ft. Astral 2507 CE Terra	C-8474
80951	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	4	174	90	90 sq.ft. Hayward CX900RE, Sta-Rite PXC-95, Waterway Pro Clean 100, Waterway Clearwater II 100	C-8409
81005	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	3	194	100	100 sq.ft. Hayward X Stream CC1000RE	C-8311
81006	8-15/16"	19-11/16"	3-3/4" open	3-3/4" open	4	168	100	100 sq.ft. Astral 2510 CE Terra	C-8499
81007	8-15/16"	23-5/16"	4" open	4" open	4	143	100	100 sq.ft. Jandy CS100	C-8410
81202	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	172	120	120 sq.ft. Hayward CX1200RE, Waterway Pro Clean 125, Waterway Clearwater II 200	C-8412

Eight Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
81253	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	148	125	125 sq.ft. Sta-Rite PXC-125, Waterway Pro Clean 125	C-8413
81502	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	215	150	150 sq.ft. Waterway Cleanwater II 150, Waterway Pro Clean 150, Jandy CS 150	C-8414
81503	8-15/16"	24-7/16"	3-3/4" open	3-3/4" open	4	202	150	150 sq.ft. Astral 2515 CE Terra	C-8415
81504	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	177	150	150 sq.ft. Sta-Rite PXC-125, Waterway Pro Clean 150	C-8416
81505	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	3	215	150	150 sq.ft. Hayward X Stream CC1500RE	C-8316
81756	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	202	175	175 sq.ft. Hayward C1750RE, Hayward C1900RE, Waterway Pro Clean 175	C-8417
81757	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	3	251	175	175 sq.ft. Hayward X Stream CC1750RE	C-8317
81758	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	251	175	175 sq.ft. Waterway Cleanwater II	C-8421
82001	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	285	200	200 sq.ft. Waterway Cleanwater II 1200	C-8419
82002	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	4	236	200	200 sq.ft. Hayward C1900RE, Waterway Pro Clean 200	C-8420
82003	8-15/16"	33-1/8"	4" open	4" open	4	200	200	200 sq.ft. Jandy CS200	C-8418
82004	8-15/16"	29-7/16"	4" open w/ molded gasket	4" open w/ molded gasket	3	226	200	200 sq.ft. Hayward CC2000	C-8319
82501	8-15/16"	33-1/8"	4" open	4" open	4	250	250	250 sq.ft. Jandy cs250	C-8425
80801	8-7/16"	14"	closed w/2" SAE thread	2-1/2" open w/ beveled edge	3	174	80	80 sq.ft. Sundance Spas-MicroClean	C-8380
80802	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	3	162	80	Inner outer filters for Sundance	80803+ PP1644
80803	8-7/16"	19"	1-1/2" male slip fitting	open	3	162	80	80sq.ft Sundance filter	N/A
81251	8-7/16"	18-1/8"	castle	2-1/2" open w/ beveled edge	3	200	120	120 sq.ft. Sundance Spas	C-8320
81252	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	3	199	125	125 sq.ft. Sundance Spas	C-8326
81254	8-7/16"	18"	closed w/3-step edge	2-1/2" open w/ beveled edge	3	201	125	125 sq.ft. Sundance Spas-Universal Length	C-8325
81256	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	3	202	125	Cartridge w/Divider 6540-487	N/A
81257	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	3	199	125	125 sq.ft. Sundance Spas	C-8327
80754	8-7/8"	19-1/2"	4" open	4" open	4	117	75	75 sq.ft. Purex DM	C-8401
80901	8-7/8"	19-1/2"	4" open	4" open	4	140	90	90 sq.ft. Purex DM	C-8402
81201	8-7/8"	19-1/2"	4" open	4" open	4	186	120	120 sq.ft. Purex DM	C-8403
81801	8-7/8"	39"	4" open	4" open	4	139	180	180 sq.ft. Purex DM	C-8405
82401	8-7/8"	39"	4" open	4" open	4	186	240	240 sq.ft. Purex DM	C-8406

Nine Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
90751	9-1/16"	11-7/16"	4" open w/step	4" open w/step	4	212	75	75 sq.ft. Aquatemp, Cooper CF 75 Perfomax	C-9601
91001	9-1/17"	15-1/16"	4" open w/step	4" open w/step	4	226	100	100 sq.ft. Aquatemp, Cooper CF 100 Perfomax	C-9602
91501	9-1/18"	22-5/8"	4" open w/step	4" open w/step	4	226	150	150 sq.ft. Aquatemp, Cooper CF 150 Perfomax	C-9603
90504	9-1/3"	10-1/5"	3-3/4" open	3-3/4" open	4	156	52	Astral	N/A
90851	9-1/4"	14-3/16"	3" open w/molded gasket	3" open w/molded gasket	4	142	85	85 sq.ft. Hayward CX850RE	C-9485
91201	9-1/4"	19-5/8"	3" open w/molded gasket	3" open w/molded gasket	4	152	120	120 sq.ft. Hayward CX1250RE, Muskin FE129 P/N 58040	C-9499
90503	9-1/9"	11-4/5"	2-14/15" open	2-14/15" open	3	148	50	Filter Element - ZX50 Filter	78095
90754	9-1/9"	11-4/5"	2-14/15" open	2-14/15" open	3	221	75	Filter Element - ZX75 Filter	78096
91006	9-1/9"	19-2/3"	2-14/15" open	2-14/15" open	3	173	100	Filter Element - ZX100 Filter	78097
91507	9-1/9"	19-2/3"	2-14/15" open	2-14/15" open	3	258	150	Filter Element - ZX150 Filter	78098
91508	9-1/9"	17-5/8"	2-14/15" open	2-14/15" open	3	290	150	Filter Element - ZX155 Filter	78088
92006	9-1/9"	27-5/9"	2-14/15" open	2-14/15" open	3	244	200	Filter Element - ZX200 Filter	78099
92501	9-1/9"	27-5/9"	2-14/15" open	2-14/15" open	3	305	250	Filter Element - ZX250 Filter	78094
90501	9-15/16"	10"	5-13/16" open	6-1/16" open	4	194	50	50 sq.ft. Jacuzzi CFR-50	C-9650
90752	9-15/16"	13-5/16"	5-13/16" open	6-1/16" open	4	202	75	75 sq.ft. Waterway Cleanwater, Rec, Warehouse	C-9401
90753	9-15/16"	14-1/4"	5-13/16" open	6-1/16" open	4	193	75	75 sq.ft. Jacuzzi CFR-75	C-9475
91002	9-15/16"	19-5/16"	5-13/16" open	6-1/16" open	4	192	100	100 sq.ft. Waterway Cleanwater, Rec, Warehouse	C-9402
91003	9-15/16"	19-7/8"	5-13/16" open	6-1/16" open	4	194	100	100 sq.ft. Jacuzzi CFR-100	C-9699
91502	9-15/16"	24"	5-13/16" open	6-1/16" open	4	227	150	150 sq.ft. Jacuzzi CFR-150	C-9478
91503	9-15/16"	25-5/16"	5-13/16" open	6-1/16" open	4	218	150	150 sq.ft. Waterway Cleanwater, Rec, Warehouse	C-9403
91504	9-15/16"	23-5/16"	5-13/16" open	6-1/16" open	4	236	150	150 sq.ft. Waterway	C-9450
92001	9-15/16"	24"	5-13/16" open	6-1/16" open	4	303	200	200 sq.ft. Jacuzzi CFR-200	C-9420
92002	9-15/16"	25-5/16"	5-13/16" open	6-1/16" open	4	294	200	200 sq.ft. Waterway Cleanwater	C-9404
92003	9-15/16"	23-5/16"	5-13/16" open	6-1/16" open	4	315	200	200 sq.ft. Waterway	C-9489

Ten Inch Diameters

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
10120	10"	20-1/16"	bar handle	6" open	4	218	120	120 sq.ft. Jacuzzi Brothers	C-9481
10160	10"	24-5/16"	bar handle	6" open	4	240	160	160 sq.ft. Jacuzzi Brothers	C-9482
10200	10"	29-13/16"	bar handle	6" open	4	244	200	200 sq.ft. Jacuzzi Brothers	C-9483
10801	10"	14-9/16"	bar handle	6" open	4	200	80	80 sq.ft. Jacuzzi Brothers	C-9480
10100	10-1/16"	19-5/8"	3/8" open	6" open	4	190	100	100 sq.ft. Airwick, Heldor, Vak-Pak, DyN/A-Pure	C-9999
10101	10-1/16"	23-5/8"	6" open	6" open	4	155	100	100 sq.ft. Predator, Clean and Clear	C-9410
10150	10-1/16"	31-1/8"	6" open	6" open	4	175	150	150 sq.ft. Predator, Clean and Clear	C-9415
10201	10-1/16"	31-1/8"	6" open	6" open	4	234	200	200 sq.ft. Predator, Clean and Clear	C-9419
10501	10-1/16"	8-9/16"	6" open	6" open	4	217	50	50 sq.ft. Predator, Clean and Clear	C-9405
10502	10-1/16"	17-1/2"	3/8" open	6" open	4	106	50	50 sq.ft. Airwick, Heldor, Vak-Pak, DyN/A-Pure	C-9950
10701	10-1/16"	19-5/8"	3/8" open	6" open	4	133	70	70 sq.ft. Airwick, Heldor, Vak-Pak, DyN/A-Pure	C-9970
10751	10-1/16"	16-1/8"	6" open	6" open	4	171	75	75 sq.ft. Predator, Clean and Clear, Cal Spas	C-9407
81255	10-1/16"	23-5/8"	6" open	6" open	4	194	125	125 sq.ft. Predator, Clean and Clear	C-9412
91751	10-1/16"	31-1/8"	6" open	6" open	4	204	175	175 sq.ft. Predator, Clean and Clear	C-9417
10901	10-1/3"	8-5/9"	3" open	3" open	3	278	90	90.7 sq.ft. Opal Cart Element	701041
11201	10-1/3"	17-2/7"	3" open	3" open	3	183	120	120 sq.ft. Opal Cart Element	701033
11401	10-1/3"	17-2/7"	3" open	3" open	3	210	140	135 sq.ft. Opal Cart Element	701039
11501	10-1/3"	17-2/7"	3" open	3" open	3	225	150	150 sq.ft. Opal Cart Element	701034
11801	10-1/3"	17-2/7"	3" open	3" open	3	270	180	180 sq.ft. Opal Cart Element	701038
12271	10-1/3"	21-5/8"	3" open	3" open	3	270	227	227.5 sq.ft. Opal Cart Element	701040
10921	10-15/16"	17-1/8"	3" open	3" open	3	110	92	Paramount Opal 150	PCA085
11051	10-15/16"	17-3/8"	3" open	3" open	3	124	105	Paramount Opal 85	PCA110
11351	10-15/16"	17-3/8"	3" open	3" open	3	156	135	Water Opal 150	PCA150
11001	10-5/16"	19-1/2"	4" open	4" open	4	130	100	200 sq.ft. Jandy Pro Edge	C-9440
11503	10-5/16"	23-1/4"	4" open	4" open	4	166	150	Hayward CX150XRE	C-9441
12001	10-5/16"	28-3/16"	4" open	4" open	4	177	200	Hayward CX200XRE	C-9442
10202	10-5/8"	28"	5-15/16" open w/step	5-15/16" open w/step	4	254	200	200 sq.ft. Jandy CJ200	C-9421
10250	10-5/8"	34"	5-15/16" open w/step	5-15/16" open w/step	4	260	250	250 sq.ft. Jandy CJ250	C-9422
11504	10-5/8"	24-15/16"	6" open w/step	6" open w/step	4	217	150	150 sq.ft. Clearwater Pools	N/A
11701	11-4/5"	23-4/5"	10-1/4" open	10-1/4" open	4	300	70	magiline	N/A
10102	12-1/16"	8-1/2"	3-1/16" open	3-1/16" open	4	313	100	100 sq.ft. Jandy Pro Edge	C-9490
10203	12-1/16"	17"	3-1/16" open	3-1/16" open	4	308	200	200 sq.ft. Jandy Pro Edge	C-9498

Miscellaneous

Darby #	OD	Length	Top	Bottom	Media	Pleat Count	Sq.ft	Manufacturer	Replaces
PP6903	2-3/4"	10"	hose fitting	closed	PP	N/A	N/A	Disposable filter with hose adapter	FC-3128
PP1188	3-1/2"	12"	N/A	N/A	PP	N/A	N/A	Sundance 6540-188	6540-188
PP1254	4-15/16"	12-5/8"	bar handle	garden hose fitting	PP	N/A	N/A	Disposable Filter With Hose Adapter	N/A
PP1271	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	PP	N/A	N/A	Replacement for C-4950,C-4326, C-4625-Disposable	C-4950 MB
PP0005	5"	4-9/16"	bar handle	1-1/2" female thread	PP	N/A	N/A	Arctic Spa 900005	900005
PP0011	5"	4-3/4"	bar handle	1-1/2" female thread	PP	N/A	N/A	Arctic Spa 900011	900011
PP6541	5"	13-7/8"	bar handle	1-1/2" female thread	PP	N/A	N/A	Arctic Spa 006541	006541
PP7064	5"	13-1/8"	2-1/8" open	2-1/8" open	PP	N/A	N/A	Arctic Spa 007064	007064
PP0210	5"	8-1/4"	1-1/2" MPT	closed	PP	N/A	N/A	Customized	N/A
PP1644	5-5/8"	18-3/4"	2-13/16" open	2-1/2" open	PP	N/A	N/A	Disposable filter	PP1644
PP2002	7-3/4"	5"	4-7/8" open	4-7/8" open	PP	N/A	N/A	Micro Filter- Sundance	FC-2812
SJ384	N/A	N/A	N/A	N/A	N/A	N/A	N/A	CAP: Filter Twist JAC 6541-384	N/A
SJ503	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Fit 501 & 502 6540-503	N/A
SJ673	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Sundance 2472-673	N/A



BY Manufacturer Cartridge listing

All Darlly products by manufacturer listed alphabetically with product descriptions OEM



	Sq.ft	OD	Length	Top	h	OEM P/N	Unicel	Media	Darllly#
@Home Hot Tubs									
	75	7-1/8"	10-1/2"	closed w/Ystand-offs	2" open w/twist lock	1561-00	C-7367	3	70759
Aber Hot Tubs(Canada)									
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	03FIL1500	6CH-47	3	60471
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	03FIL1400	6CH-940	3	60401
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	03FIL1300	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	03FIL1600	C-4950	3	40506
Accent Spas									
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	/	C-4339	3	40403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Acryx-Maax Spas(Canada)									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	37	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4637	3	40371
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4995	3	41001
Addison Spas									
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
Advanced Spa Design									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
	22	5-3/16"	11-7/8"	closed w/string handle	1-15/16" open	/	C-5621	3	50221
Advantage Mfg.									
	28	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	ELE-25 (top load)	C-4301	3	40305
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4305	3	40454
	25	4-15/16"	14-9/16"	2-1/8" open	2-1/8" open	ELE-25-1 (top load)	C-4308	3	42515
	32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	/	C-4332	3	42511
	50	4-15/16"	17-3/8"	2-1/8" open	2-1/8" open	ELE-50 (top load)	C-4349	3	40507
	75	7-1/4"	14-9/16"	2-15/16" open w/step	2-15/16" open w/step	ELE-75	C-7301	3	77519
	100	7-1/4"	21-5/8"	2-15/16" open w/step	2-15/16" open w/step	ELE-100	C-7302	3	71005
	150	7-1/4"	28-13/16"	2-15/16" open w/step	2-15/16" open w/step	ELE-150	C-7303	3	71504

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Advantage Spa									
	50	4-15/16"	17-3/8"	2-1/8" open	2-1/8" open	ELE-50	C-4349	3	40507
Alvoce									
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	/	4CH-21	3	40191
	8	3-1/4"	9-3/4"	1-1/16" open	1-1/16" open	/	C-3608	3	30081
Alps Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	3	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
American Classic Spas									
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
American Spas									
	25	6"	7"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-26	3	60252
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Amish Country									
	34	5-3/16"	11-15/16"	closed	1-5/8" open	/	C-5423	3	50352
	58	5-3/16"	19-5/8"	closed	1-5/8" open	/	C-5434	3	50601
	25	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	/	C-5626	4	50254
	40	5-3/16"	19-5/8"	1-1/16" open	1-5/8" open	/	C-5637	4	50401
Apollo Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	25	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	/	C-4325	3	40254
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5601	3	50257
Aqua Leisure									
Simple Set SA-3766	2.5	4-1/4"	3-3/4"	2-1/16" open	2-1/16" open	Size 1	C-4313	3	40025
	5	4-1/4"	8"	1-15/16" open	1-15/16" open	Size 2	C-4607	3	40051
Aqua Mystic									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Aqua Spa									
	20	4-5/8"	9-3/4"	handle	1-7/8" open w/ slots	/	C-4402	3	40202
	25	6"	9-3/4"	semi-circular handle	1-7/8" open w/ slots	/	C-6601	3	60253

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Aqua Tech Spas									
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Aquasports									
	25	5-7/8"	6"	semi-circular handle	male slip fitting w/molded o-ring	/	C-5325	3	50259
	25	5-7/8"	6"	semi-circular handle	male slip fitting w/MPT	/	C-5326	3	51250
	50	5-7/8"	12-3/4"	semi-circular handle	male slip fitting w/MPT	/	C-5349	3	50507
	50	5-7/8"	12-3/4"	semi-circular handle	male slip fitting w/molded o-ring	/	C-5350	3	50505
	75	5-7/8"	19-1/4"	closed	male slip fitting w/molded o-ring	/	C-5375	3	50751
	75	5-7/8"	19-1/4"	semi-circular handle	male slip fitting w/MPT	/	C-5376	3	50752
	100	5-7/8"	25-3/4"	semi-circular handle	male slip fitting w/MPT	/	C-5398	3	51003
	50	7"	9-13/16"	3" open	3" open	/	C-7352	3	70510
	75	7"	14-1/8"	3" open	3" open	/	C-7377	3	77520
	100	7"	19-3/8"	3" open	3" open	/	C-7399	3	71014
Aquatemp									
3175	175	/	/	/	/	84-92311 84-92312	C-9601 C-9602	/	90751 91001
3225	225	/	/	/	/	84-92311 84-92313	C-9601 C-9603	/	90751 91501
1050/550/650	50	6-1/16"	12-1/16"	1-15/16" open	1-15/16" open	/	C-6405	3	60504
1075/675/575	75	6-1/16"	18"	1-15/16" open	1-15/16" open	/	C-6408	3	60754
2050	50	7-1/4"	14-3/4"	2-15/16" open w/step	2-15/16" open w/step	/	C-7618	4	75014
2065	65	7-1/4"	14-3/4"	2-15/16" open w/step	2-15/16" open w/step	/	C-7619	3	70651
2075	75	7-1/4"	21-13/16"	2-15/16" open w/step	2-15/16" open w/step	/	C-7620	4	77512
2105	105	7-1/4"	21-13/16"	2-15/16" open w/step	2-15/16" open w/step	/	C-7621	3	71051
2100	100	7-1/4"	29"	2-15/16" open w/step	2-15/16" open w/step	/	C-7622	4	71006
2135	135	7-1/4"	29"	2-15/16" open w/step	2-15/16" open w/step	/	C-7623	3	71351
3075	75	9-1/16"	11-7/16"	4" open w/step	4" open w/step	/	C-9601	4	90751
3100	100	9-1/16"	15"	4" open w/step	4" open w/step	/	C-9602	4	91001
3150	150	9-1/16"	22-5/8"	4" open w/step	4" open w/step	/	C-9603	4	91501
Aquiform-Infinity Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Arcadia Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAEthread	/	6CH-940	3	60401
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open		C-4950	3	40506
Aries Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
Artesian Spas									
	25	6"	7"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-26	3	60252
Resort Line Spas									
	35	6"	8"	semi-circular handle	2" male thread/MPT	/	6CH-352	3	60354
	50	6-3/4"	8"	semi-circular handle	2" male thread/MPT	/	6CH-502	3	60506
	32	7"	8"	semi-circular handle	2" male thread/MPT	/	7CH-322	3	70321
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Astral									
2515 CE Terra	150	8-15/16"	24-7/16"	3-3/4" open	3-3/4" open	18220RO100	C-8415	4	81503
2505 CE Terra	50	8-15/16"	10-1/4"	3-3/4" open	3-3/4" open	18218RO100	C-8449	4	80505
2507 CE Terra	75	8-15/16"	15"	3-3/4" open	3-3/4" open	18219RO100	C-8474	4	80756
2510 CE Terra	100	8-15/16"	19-11/16"	3-3/4" open	3-3/4" open	18112RO100	C-8499	4	81006
Atera Spas(Four Seasons Home Resort Products)									
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	/	4CH-21	3	40191
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
Baja Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	100	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	/	C-4999	3	41002
Baker-Hrdro									
Mini-Mite	32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	17-B1151	C-4332	3	42511
Ultra-Mite	35	7"	9-13/16"	injection molded knob handle	injection molded cone adapter	17-B1164	C-7404	4	70351
Ultra-Mite	50	7"	14-3/4"	injection molded knob handle	injection molded cone adapter	17-B1165	C-7405	4	70502
Ultra-Mite	75	7"	19-5/8"	injection molded knob handle	injection molded cone adapter	17-B1166	C-7406	4	70754
Ultra-Mite	100	7"	29-3/8"	injection molded knob handle	injection molded cone adapter	17-B1167	C-7407	4	71004
Ultra-Mite	150	7"	39-3/8"	injection molded knob handle	injection molded cone adapter	17-B1168	C-7408	4	71501
Hydro-Mite	12.5	7"	5"	injection molded knob handle	injection molded cone adapter	17-B1163	C-7603	4	70131
Hydro-Mite	25	7"	9-13/16"	injection molded knob handle	injection molded cone adapter	17-B2054	C-7604	4	70253
Hydro-Mite	50	7"	19-5/8"	injection molded knob handle	injection molded cone adapter	17-B2055	C-7605	4	75011
Hydro-Mite	75	7"	29-3/8"	injection molded knob handle	injection molded cone adapter	17-B2056	C-7606	4	70758

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Hydro-Mite	100	7"	39-3/8"	injection molded knob handle	injection molded cone adapter	17-B2071	C-7607	4	77510
Beachcomber									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3005845	C-4326	3	42513
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	3005820	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	3005825	C-4405	4	40505
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	3005815	C-4950	3	40506
Belize Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Blue Falls Mfg. Ltd. (Canada)									
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Blue Pacific Spas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
	50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Blue Ridge Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Bullfrog Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	50	8"	6"	semi-circular handle	2" SAE thread	10-1035	8CH-950	3	80503
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Cal Spas									
	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	FIL11100305	4CH-19	3	40131
	50	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	FIL11100202	5CH-502	3	50501
	75	5-3/16"	16-1/8"	bar handle	2" male thread/MPT	/	5CH-752	3	50753
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4305	3	40454
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4995	3	41001
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	/	C-5374	3	50651

Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
50	7"	19-5/8"	3" open w/ vmolded gasket	3" open w/ molded gasket	/	C-7656	4	70508
75	7"	29-1/8"	3" open	3" open	/	C-7677	4	70755
75	8-1/2"	17-3/8"	4-1/16" open w/ molded	4-1/16" open w/ molded gasket	/	C-8600	4	80752
100	8-1/2"	23-5/16"	4-1/16" open w/ molded	4-1/16" open w/ molded gasket	/	C-8610	4	81002
75	10-1/6"	16-1/8"	6" open	6" open	/	C-9407	4	10751
Caldera Spas								
35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	74148	C-4335	3	40353
50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	302005	C-4950	3	40506
50	7"	10-3/4"	semi-circular handle	2-11/16" open	1019401	C-7350	3	75017
75	7"	14-3/4"	semi-circular handle	2-11/16" open	1019301	C-7375	3	77515
50	7"	10-3/4"	semi-circular handle	2" male slip fitting	033016	C-7451	3	70511
75	7"	14-3/4"	semi-circular handle	2" male slip fitting	033017	C-7479	3	70752
100	8"	16-1/2"	3-1/8"/ open w/ molded gasket	3-1/8"/ open w/ molded gasket	74817	C-8300	3	81008
100	8"	16-1/2"	semi-circular handle	3-5/8" open w/ lip seal	1039607	C-8399	3	81004
65	8-1/2"	10-1/2"	3" open	3" open	76136	C-8465	3	80651
Canspa Mfg. (Canada)								
45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Catalina Spas								
45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Charisma Spas								
30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Clearwater Spas								
45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
	50	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5300	3	50503
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	/	C-5374	3	50651
Clipper Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Coast Mountain Spas (Canada)									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Coast Spas (Canada)									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4995	3	41001
	100	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	/	C-4999	3	41002
	135	5-5/16"	30-1/8"	2-1/8" open	2-1/8" open	/	C-5351	3	51351
	100	5-5/16"	21-5/16"	2-1/8" open	2-1/8" open	/	C-5396	3	51002
Canspa Mfg. (Canada)									
DR-7/F-120	5	4-1/4"	8"	1-15/16" open	1-15/16" open	/	C-4607	3	40051
F-108/F-110/CR-8	5	4-3/4"	8"	1-1/4" open	2-7/16" open	/	C-4609	3	40054
DR-11/F-112/CF-11/ F-350	8	4-3/4"	11"	1-1/4" open	2-7/16" open	/	C-4611	3	40082
DR-16/F-750/F-775/ F-850/F-875	12	4-3/4"	16"	1-1/4" open	2-7/16" open	/	C-4616	3	40123
F-225/F-335/F-345/ DR-18	13	4-3/4"	18"	1-1/4" open	2-7/16" open	/	C-4618	3	40133
F-335/F-360/DR-17/ F-455/F-460	23	6-1/2"	17"	3" open	3" open	/	C-6617	3	60231
F-475/F-480/F-375/ F-380/DR-22	20	6-1/2"	22"	3" open	3" open	/	C-6622	3	60302
Coleman Spas									
	32	7"	8"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-32	3	70323
	32	7"	8"	semi-circular handle	2" male thread/MPT	100520	7CH-322	3	70321
	40	7"	9-3/4"	semi-circular handle	1-1/2" male thread/MPT	100433	7CH-40	3	70402
	40	7"	9-3/4"	semi-circular handle	2" male thread/MPT	100521	7CH-402	3	70405
	50	7"	14-3/4"	semi-circular handle	1-1/2" male thread/MPT	100434	7CH-50	3	70506
	50	7"	14-3/4"	semi-circular handle	2" male thread/MPT	100522	7CH-502	3	70503
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	100586	C-4326	3	42513
	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	100585	C-4339	3	40403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	100533	C-4950	3	40506
	50	8"	9"	2-1/16" open	2" male slip fitting	100593	C-8450	3	80501

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	75	8"	13"	2-1/16" open	2" male slip fitting	100594	C-8475	3	80753
Columbia Spas									
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Crystal Waters Spas (Canada)									
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	75	6-9/16"	13-5/16"	2-3/8" open	2-3/8" open	/	C-6375	3	60755
	120	8-7/16"	18-1/8"	castle	2-1/2" open w/ beveled edge	/	C-8320	3	81251
CTA Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Dakota Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	45	4-15/16"	12-1/4"	2-1/8" open	2-1/8" open	/	C-4311	3	40451
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	/	C-4975	3	40751
Del Sol Spas									
Hermosa/Redondo	40	5-3/16"	10-3/4"	bar handle	2" male thread/MPT	/	5CH-402	3	50403
Diamond Back Spas									
	35	6"	9-7/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-35	3	60351
	50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Dimension One Spas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	1561-14	4CH-30	4	40301
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	1561-05	4CH-50	3	40503
	65	4-5/8"	19-5/8"	handle	1-1/2" male thread/MPT	1561-06	4CH-65	3	40651
	65	4-5/8"	19-5/8"	handle	1-1/2" male thread/MPT	1561-07	4CH-65	3	40651
	40	4-5/8"	15"	semi-circular handle	1-1/4" SAE thread	1561-13	4CH-940	3	40401
	25	4-5/8"	12"	semi-circular handle	1-1/4" SAE thread	1561-04	4CH-950	4	40256
	52	7"	10-1/2"	semi-circular handle	2" male thread/MPT	1561-10	7CH-552	4	70521

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	75	7"	14-3/4"	semi-circular handle	2" male thread/MPT	1561-02	7CH-752	4	70751
	52	7"	10-1/2"	semi-circular handle	1-1/2" SAE thread	1561-12	7CH-975	3	70522
	40	4-15/16"	11-5/8"	2-1/8" open	2-1/8" open	1561-03	C-4340	3	40404
	25	5-1/2"	11-7/8"	1-15/16" open w/12 concentric open holes	2-7/8" open	/	C-5402	4	50256
	40	5-1/2"	17"	1-15/16" open w/12 concentric open holes	2-7/8" open	1561-09	C-5404	4	50402
	30	7-1/8"	5-7/8"	closed w/Ystand-offs	2" open w/twist lock	/	C-7335	3	70354
	75	7-1/8"	10-1/2"	closed w/Ystand-offs	2" open w/twist lock	1561-00	C-7367	3	70759
	50	10-1/16"	8-9/16"	6" open	6" open	/	C-9405	4	10501
Discovery Spas									
	60	8"	11-5/8"	semi-circular handle	2" male thread/MPT	/	8CH-60	3	80602
	50	4-5/8"	23-3/4"	2-1/16" open	2-1/16" open	/	C-4350	3	40504
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
	30	4-15/16"	10-3/8"	closed	2-1/8" open	/	C-4431	3	40303
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Dolphin Spas									
	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	/	4CH-19	3	40131
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4305	3	40454
Doughboy									
60 sq.ft. (original)	60	6-15/16"	22-3/8"	closed w/string handle	2-1/16" open	312-1003	C-6659	4	60603
20 sq.ft. Skim-Line	20	7"	6-1/2"	injection molded knob handle	1-1/2" open	2396-020	C-7401	4	70201
40 sq.ft. Skim-Line	40	7"	9-1/8"	injection molded knob handle	1-1/2" open	2396-040	C-7402	4	70401
60 sq.ft. Skim-Line	60	7"	17-5/8"	injection molded knob handle	1-1/2" open	2396-060	C-7403	4	70602
90 sq.ft. Skim-Line	90	7"	26-1/4"	injection molded knob handle	1-1/2" open	2396-090	C-7409	4	70901
Dream Maker Spas									
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	/	4CH-21	3	40191
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Dynasty Spas									
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
	25	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U

Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	/	C-4339	3	40403
35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	/	C-5345	3	50451
Elite Spas by Maax								
35	5-5/8"	8"	semi-circular handle	1-1/2" male thread/MPT	/	5CH-35	3	50353
Emerald Spas								
14.5	2-7/8"	17-1/16"	1-1/16" open	1-1/16" open	/	C-2302	3	20151
8.5	2-7/8"	17-1/16"	2-1/8" open	2-1/8" open	/	C-2303	3	20191
25	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	/	C-4325	3	40254
25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	/	C-4332	3	42511
35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	/	C-4975	3	40751
25	5"	13-5/16"	2-3/8" open	2-3/8" open	/	C-5625	3	50251
Endless Pools								
60	7-7/8"	14"	3-1/16" open	3-1/16" open	/	C-7660	4	70603
50	10-1/16"	8-9/16"	6" open	6" open	/	C-9405	4	10501
Esther Williams								
50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
Florida Whirlpool								
30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	3	40301
50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
50	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5300	3	50503
Fountain Vally Spas								
45	4-15/16"	17-3/4"	closed	2-1/8" open	/	C-4346	3	40456
45	6-7/8"	13-3/4"	2" open	2" open	/	C-6445	3	60256
Four Seasons								
25	6"	9-3/4"	semi-circular handle	1-7/8" open w/ slots	/	C-6601	4	60253
35	6"	14-3/4"	semi-circular handle	1-7/8" open w/ slots	/	C-6603	4	60352
50	6"	19-5/8"	semi-circular handle	1-7/8" open w/ slots	/	C-6605	4	60503

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Four Winds Spa									
	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U
	52	7"	10-1/2"	semi-circular handle	2" male thread/MPT	/	7CH-572	3	70521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Fox Wal-Pak									
	80	7-7/8"	13-3/16"	semi-circular handle	3-1/16" open	/	C-7463	3	70803
	110	7-7/8"	17-3/4"	semi-circular handle	3-1/16" open	/	C-7464	4	71101
Freedom Spas									
Franklin/Statesman/Revere	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	3	40301
Statesman/Lexington/Enterprise/Aristocrat/Franklin	45	6"	12-3/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-45	3	60451
Liberty	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Concord/Patriot/Ambassador/Executive	37	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4637	4	40371
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Freeflow Spas									
TLX/RLX	25	4-15/16"	6-5/8"	2-1/8" open	1-1/2" male thread/MPT	/	4CH-22	3	40257
CLX	25	4-15/16"	6-5/8"	closed	1-1/2" male thread/MPT	/	4CH-23	3	40258
Legend/Passport	45	5-5/16"	10"	2-1/8" open	1-1/2" male thread/MPT	/	5CH-45	3	50452
Garden Leisure									
	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	/	C-5345	3	50451
Gatsby Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	25	4-5/8"	9-3/4"	handle	1-9/10" open	/	C-4324	3	40252
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5601	3	50257
General Foam Plastics									
	5	4-1/4"	8"	1-3/4" open	1-3/4" open	/	C-4306	3	40053
	7	4-3/4"	8"	1-3/4" open	1-3/4" open	/	C-4307	3	40071
	10	4-3/4"	8"	1-3/4" open	1-3/4" open	/	C-4309	3	40102
Gerico Spas									
	45	6-15/16"	17-5/8"	2-1/16" open	2-1/16" open	/	C-6645	4	60452
Goldkey									

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Skim filter	50	7"	14-3/4"	semi-circular handle	1-7/8" open	/	C-7400	4	70504
Great Lakes Home & Resort									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Gulf Coast Spas									
	25	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-925	3	62501
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
H2O Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	100	6-9/16"	17-13/16"	2-3/8" open	2-3/8" open	/	C-6310	3	61001
Harmsco									
Betterfilter	6	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	Media Max	C-2306	3	20063
Filter Model BF55	55	7-3/4"	9-5/8"	3-1/2" female thread/FPT	2-5/8" open	ST/TC 55	C-7655	4	71009
Filter Model BF75	75	7-3/4"	15-13/16"	3-1/2" female thread/FPT	2-5/8" open	ST/TC 75	C-7674	4	70656
Filter Model BF105	105	7-3/4"	19-1/2"	3-1/2" female thread/FPT	2-5/8" open	ST/TC 105	C-7685	4	77518
Filter Model BF155	155	7-3/4"	29-1/16"	3-1/2" female thread/FPT	2-5/8" open	ST/TC 155	C-7697	4	71503
Betterfilter	6	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	OTC/6-4 ST/6	T-380	4	20062
Haughs									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Haven Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	/	6CH-941	3	60402
	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	/	6CH-942	3	60403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Hawkeye Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
Hayward Pool Products	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
MicroStar-Clear (in-line)	12	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	C120RE	C-4312	3	40122

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
MicroStar-Clear C200 (in-line)	20	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	CX200RE	C-4320	3	40203
MicroStar-Clear C225 (in-line)	25	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	CX225RE	C-4325	3	40254
Easy Clear C400	40	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX410RE	C-7442	4	70408
Super-Star-Clear	50	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX470RE	C-7447	4	70517
Easy Clear C550	55	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX550RE	C-7455	4	70551
SwimClear C2030	56	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX481RE	C-7456	4	70562
SwimClear C2025	56	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX480XRE	C-7458	4	70561
Super-Star-Clear Swim Clear C3020 C3000/C3000S	75	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX570XRE	C-7477	4	77517
SwimClear C3025	81	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX580XRE	C-7483	4	70811
HCF C7030/ SwimClear C7030/ HCF 7030C (commercial)	87	7"	19-1/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX591XRE	C-7485	4	70871
Super-Star-Clear C4000S	100	7"	25-1/2"	3" open w/ molded gasket	3" open w/ molded gasket	CX870XRE	C-7487	4	71011
SwimClear C4025	106	7"	25-1/2"	3" open w /molded gasket	3" open w/ molded gasket	CX880XRE	C-7488	4	71061
Super-Star-Clear Swim Clear C4520 C4500	112	7"	25-1/2"	3" open w/ molded gasket	3" open w/ molded gasket	CX875XRE	C-7489	4	71121
Super-Star-Clear Swim Clear C5520 C5500	137	7"	32-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX1380XRE	C-7490	4	71371
SwimClear C5025	131	7"	32-13/16"	3" open w /molded gasket	3" open w/ molded gasket	CX1280XRE	C-7494	4	71311
SwimClear Super-Star-Clear C5020/5000	125	7"	32-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX1260XRE	C-7495	4	71253
Star-Clear C250	25	7"	9-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX250RE	C-7626	4	70251
Star-Clear C500	50	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX500RE	C-7656	4	70508
Star-Clear C750	75	7"	29-7/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX750RE	C-7676	4	71002
Star-Clear C1000	100	7"	29-7/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX1000RE	C-7698	4	71008
Xstream CC1000	100	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	CCX1000RE	C-8311	3	81005
Xstream CC1500	150	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	CCX1500RE	C-8316	3	81505
Xstream CC1750	175	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	CCX1750RE	C-8317	3	81757
Xstream CC2000	200	8-15/16"	29-7/16"	4" open w/ molded gasket	4" open w/ molded gasket	CCX2000RE	C-8319	3	82004
Skim filter	40	8-1/2"	10-3/4"	semi-circular handle	4-1/16" open	CX400RE	C-8340	3	80401

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Star-Clear Plus C900	90	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	CX900RE	C-8409	4	80951
Series C751	75	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	CX760RE	C-8411	4	80755
Star-Clear Plus C1200	120	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	CX1200RE	C-8412	4	81202
Star-Clear Plus C1502	150	8-15/16"	23-5/16"	4" open w/ molded gasket	4" open w/ molded gasket	CX1520RE	C-8414	4	81502
Star-Clear Plus C1750	175	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	CX1750RE	C-8417	4	81756
Star-Clear Plus C1900	200	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	CX1900RE	C-8420	4	82002
Star-Clear Plus C2002	200	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	CX2020RE	C-8420	4	82002
Star-ClearStar-Clear II C800/C1500	75	8-1/2"	17-3/8"	4-1/16" open w/ molded gasket	4-1/16" open w/ molded gasket	CX800RE	C-8600	4	80752
Star-Clear II C1100	100	8-1/2"	23-5/16"	4-1/16" open w/ molded gasket	4-1/16" open w/ molded gasket	CX1100RE	C-8610	4	81002
Hayward Pool Products									
ASL Full-Flo C850	85	9-1/4"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	CX850RE	C-9485	4	90851
ASLASL Full-FloFull-Flo C1250/C1500	120	9-1/4"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	CX1250RE/ CX1500RE	C-9499	4	91201
Heartland Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Heldor Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Hollibaugh Spas	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	7"	9-13/16"	3" open w/mold- ed gasket	3" open w/ molded gasket	/	C-7626	4	70251
	50	7"	19-5/8"	3" open w/mold- ed gasket	3" open w/ molded gasket	/	C-7656	4	70508
	75	7"	29-7/16"	3" open w/mold- ed gasket	3" open w/ molded gasket	/	C-7676	4	71002
Honey Tubs									
	25	4-15/16"	14-9/16"	2-1/8" open	2-1/8" open	/	C-4308	3	42515
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Hot Spot									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	33521	C-4326	3	42513
Hot Spring Spas									
	35	4-5/8"	16"	handle	1-1/2" male thread/MPT	31382	4CH-35	3	40351
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	33521	C-4326	3	42513
	30	5-1/8"	10-1/4"	1-15/16" open	1-15/16" open	31233	C-5431	3	50301

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	30	6"	10-1/2"	1-15/16" open	1-15/16" open	31489 / 71825 / 71826	C-6330	3	60307
	30	6"	10-1/2"	1-15/16" open	1-15/16" open	31489 / 71825 / 71826	C-6430	4	60301
	33	6"	9"	1-15/16" open	1-15/16" open	31250	C-6433	3	60331
	45	6-3/8"	11-7/8"	3" open	3" open	31115	C-6600	3	60453
	65	8-1/2"	10-1/2"	3" open	3" open	31114 / 71827 / 71828	C-8465	3	80651
Hydro Pool Industries									
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	/	C-4975	3	40751
Hydro Spa									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Icon Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	3.7	2-3/4"	6"	1-1/16" open	closed	136629	C-2304	3	20041
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	146949	C-4310	3	40101
Weslo Spa Model # 207	15	4-1/4"	7-1/8"	semi-circular handle	2" open	16219	C-4315	3	40151
Weslo Spa Model # 410	25	4-1/4"	12"	semi-circular handle	2" open	176380	C-4329	3	40251
Image Spa Model # 631/616/615 Weslo Spa Model # 628	50	4-1/4"	23-3/4"	semi-circular handle	2-5/16" open w/ molded o-ring	179192	C-4351	3	40501
Image Spa Model # 739/639	60	4-1/4"	23-3/4"	semi-circular handle	2" open	163736	C-4360	3	40502
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	/	C-5374	3	50651
Imperial Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Infinity Spas - TN									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Intex Recreation									
Skim filter model #M1	2	3-1/8"	3-11/16"	1-1/8" open	1-1/8" open	58602/ SIZE E	C-3302	3	30021
Sand-n-Sun (pimp SA-3766)	2.5	4-1/4"	3-3/4"	2-1/16" open	2-1/16" open	SIZE D	C-4313	3	40025
Intex Recreation									
Sand-n-Sun (pimp SA-3766)	2.5	4-1/4"	3-3/4"	2-1/16" open	2-1/16" open	WM-3779	C-4313	3	40025
Krystal KrstalIntex The03R / The Wet58631 / Intex Klear Klear Set Wet Model Model Set Model 58623 /12/02/108R/12R/22R	5	4-1/4"	8"	1-15/16" open	1-15/16" open	58600 / 59900 / F18 / SIZE A or C	C-4607	4	40051
Model 51/52 /Model 520R/530R	15	5-3/4"	10"	1-7/8" open	1-7/8" open	59905/ SIZE B	C-5315	3	50152
KrstalKlear ModelKlear Model530/Intex520/Krstal58621	30	5-3/4"	12"	1-7/8" open	1-7/8" open	58601/ 59901/5F17	C-5330	3	50303
The Wet Set Model 520/530	30	5-3/4"	12"	1-7/8" open	1-7/8" open	SIZE D	C-5330	3	50303
Islander Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
J.E.M. Spas									
	25	6"	7"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-26	3	60252
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4995	3	41001
Jacuzzi Brothers									
SF25 (skim filter)	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	43-2954-01-R	C-5601	3	50257
CFT-15 (in-line)	15	5"	13-5/16"	2-3/8" open	2-3/8" open	42-2782-00	C-5615	4	50151
CFR-25CFT-25 (in-line)(in-line)	25	5"	13-5/16"	2-3/8" open	2-3/8" open	42-2891-08-R	C-5625	4	50251
CFR-37(in-line)	37	5"	13-5/16"	2-3/8" open	2-3/8" open	42-3533-00-R	C-5635	4	50371
CF-25(Crystal Flow)	25	6-7/8"	11-7/8"	3-1/2" open	3-1/2" open	23-2377-04	C-6625	3	60254
CF-40(Crystal Flow)	40	6-15/16"	19-3/8"	3-1/2" open	3-1/2" open	23-2214-01	C-6640	3	60404
CF-60(Crystal Flow)	60	6-15/16"	29-3/8"	3-1/2" open	3-1/2" open	23-2297-01	C-6660	3	60604
CE Filter	40	7"	13-11/16"	3" open w/step	3" open w/step	42-3724-09	C-7304	3	70407
CE Filter	60	7"	17-11/16"	3" open w/step	3" open w/step	42-3725-08	C-7306	3	70601
TC330 (Tri-Clops)	110	7-13/16"	22-13/16"	closed	4-1/16" open	42379923	C-7430	4	71802
TC440 (Tri-Clops)	147	7-13/16"	28-13/16"	closed	4-1/16" open	42379924	C-7441	4	71506
TC550 (Tri-Clops)	179	7-13/16"	34-13/16"	closed	4-1/16" open	42379925	C-7452	4	71102

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
CFR-200	200	9-15/16"	24"	5-13/16" open	6-1/16" open	42-3540-01-R	C-9420	4	92001
Jacuzzi Brothers									
CFR-75	75	9-15/16"	14-1/4"	5-13/16" open	6-1/16" open	42-3509-00-R	C-9475	4	90753
CFR-150	150	9-15/16"	24"	5-13/16" open	6-1/16" open	423508-01-R/ 42-3537-06-R	C-9478	4	91502
SHER 80(Sherlock)	80	10"	14-9/16"	bar handle	6" open	42-3674-09-R	C-9480	4	10801
SHER 120(Sherlock)	120	10"	20-1/16"	bar handle	6" open	42-3675-08-R	C-9481	4	10120
SHER 160(Sherlock)	160	10"	24-5/16"	bar handle	6" open	42-3667-07-R	C-9482	4	10160
SHER 200(Sherlock)	200	10"	29-13/16"	bar handle	6" open	42-3668-08-R	C-9483	4	10200
CFRCFR50/ CFT50BY/ CFT50BY/50	50	9-15/16"	10"	5-13/16" open	6-1/16" open	42-2940-09-R	C-9650	4	90501
CFTCFR100/ CFT100BY/ CFR100BY/100	100	9-15/16"	19-7/8"	5-13/16" open	6-1/16" open	42-2941-08-R	C-9699	4	91003
Jacuzzi Leisure Prod. (Canada)									
D-8 skim filter	5	4-1/4"	8"	closed	1-15/16" open	1370046	C-4304	3	40052
C-11 cartridge filter	9	4-1/4"	10-7/8"	1-15/16" open	1-15/16" open	1370012	C-4603	4	40091
C-22 cartridge filter	15	4-1/4"	17-7/8"	1-15/16" open	1-15/16" open	1370031	C-4604	4	40152
	100	8-1/2"	15-3/16"	2-3/16" open	3-1/8" open	/	C-8310	3	81001
	150	8-1/2"	22-11/16"	2-3/16" open	3-1/8" open	/	C-8315	3	81501
Jacuzzi Premium									
DelDel SolSol Redondo/Hermosa	40	5-3/16"	10-3/4"	bar handle	2" male thread/ MPT	6540-723	5CH-402	3	50403
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
J460 Series	45	6"	13-1/2"	semi-circular handle	2" SAE thread	6540-498	6CH-945	3	60454
Jacuzzi Premium									
J400 Series	60	6"	17-1/2"	semi-circular handle	2" SAE thread	2000-286/ 20086-001	6CH-959	3	60608
J400J300 Series/ Series	52	6-3/4"	15-1/2"	semi-circular handle	2" SAE thread	6540-476/ 6541-383	6CH-960	3	60521
J400J300 Series/ Series	60	6-3/4"	15-1/2"	open w/slots	2" SAE thread	6540-476/ 6541-383	6CH-961	3	60605
J200 Series	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	373045	C-4326	3	42513
J200 Series	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	373045	C-4950	3	40506
Jacuzzi Whirlpool Bath									
Cambio	12	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	2945000	C-2612	4	20132

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Aero,Alexa,Arrow Plus,Caressa,Corsica ,Dectra, Lazer II ,Lexus LC,Lexus Plus, Meridian II , Palio,PalioPlus, Polara,Quantum, QuantumPlus, Razza,Santina, SantinaPlus,Razza, Santina,Santina Plus,Solaris, Solarisplus,Tirage, TiragePlus,Vectra, Vectra II , Venterra, 380	50	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5300	3	50503
Aero,Alexa, Arrow Plus, Caressa,Corsica, Dectra,Lazer II , Lexus LC,Lexus Plus, Meridian II , Palio,PalioPlus, Polara,Quantum, Quantum Plus, Razza,Santina, SantinaPlus,Razza,Santina, Santina Plus, Solaris,Solaris plus,Tirage, TiragePlus,Vectra, Vectra II , Venterra,380	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	6199000	C-5601	3	50257
Avanza,Sienna, Virage,Celeste, Meridian,	25	5-3/46"	11-7/8"	2-1/8" open	2-1/8" open	259000	C-5624	3	50248
Caressa(pre-1986), Espree II Espree	25	5"	13-5/16"	2-3/8" open	2-3/8" open	5475000	C-5625	4	50251
Quanta	30	6-7/8"	14-7/8"	3-1/2" open	3-1/2" open	2730000	C-6300	4	60303
Jandy									
CT Series Cartridge Filter	50	7-1/4"	14-5/8"	3-1/16" open w/step	3-1/16" open w/step	A0103600	C-7448	4	75013
CL340/CV340	85	7"	27"	3" open	3" open	A0557900/R0554500	C-7459	4	70851
CL460/CV460	75	7"	27"	3" open	3" open	A0558000/R0554600	C-7468	3	70852
CT Series Cartridge Filter	75	7-1/4"	19-5/8"	3-1/16" open w/step	3-1/16" open w/step	A0103500	C-7473	4	77511
CL 580/CV 580	145	7"	33"	3" open	3" open	A0104100/R0357900	C-7482	4	71451
CT Series Cartridge Filter	100	7-1/4"	29-1/2"	3-1/16" open w/step	3-1/16" open w/step	A0103400	C-7497	4	71007
CS100	100	8-15/16"	23-5/16"	4" open	4" open	R0462200	C-8410	4	81007
CS150	150	8-15/16"	23-5/16"	4" open w/molded gasket	4" open w/molded gasket	R0462300	C-8414	4	81502
CS200	200	8-15/16"	33-1/8"	4" open	4" open	R0462400	C-8418	4	82003
CS250	250	8-15/16"	33-1/8"	4" open	4" open	R0462500	C-8425	4	82501
CJ200	200	10-5/8"	28"	5-15/16" open w/step	5-15/16" open w/step	A0558902	C-9421	4	10202

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
CJ250	250	10-5/8"	34"	5-15/16" open w/step	5-15/16" open w/step	A0558901	C-9422	4	10250
Pro Edge Cartridge Filter	100	12-1/16"	8-1/2"	3-1/16" open	3-1/16" open	R0342000	C-9490	4	10102
Pro Edge Cartridge Filter	200	12-1/16"	17"	3-1/16" open	3-1/16" open	R0341900	C-9498	4	10203
Jetta Spas									
	60	6"	16-1/4"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-60	3	60602
LA Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	20	5-3/8"	7"	semi-circular handle	3" male thread/MPT	/	5CH-203	3	50201
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
Legend Spas									
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Leisure Bay Spas									
	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	/	4CH-19	3	40131
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	75	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4970	3	40752
	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	S2/G2 Spa	C-5345	3	50451
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	S2/G2 Spa	C-5374	3	50651
	80	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	S2/G2 Spa	C-5397	3	50801
Lifestyle Spas(Canada)									
	40	7"	9-3/4"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-40	3	70402
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Lomart									
60-4316/60-4318	16	4-3/4"	18"	1-1/4" open	2-7/16" open	/	C-4601	4	40132
60-4314	13	4-3/4"	18"	1-1/4" open	2-7/16" open	/	C-4618	4	40133
Lowes									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Lumi-O									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Maax Spas of AZ									
	25	5-5/8"	6"	semi-circular handle	1-1/2" male thread/MPT	108868	5CH-25	3	50258
	35	5-5/8"	8"	semi-circular handle	1-1/2" male thread/MPT	104309	5CH-35	3	50353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	100533	C-4950	3	40506
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	107092	C-5374	3	50651
	50	8"	9"	2-1/16" open	2" male slip fitting	100593	C-8450	3	80501
	75	8"	13"	2-1/16" open	2" male slip fitting	100594	C-8475	3	80753
Marathon Spas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Marquis Spas									
	35	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	20042/ 370-0242/ 370-0243	5CH-352	3	50351
	50	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	20041/ 370-0237	5CH-502	3	50501
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
	50	5-3/16"	14-1/8"	closed	1-5/8" open	20044/ 370-0236	C-5346	3	50502
	35	5-3/16"	11-15/16"	closed	1-5/8" open	20045/ 370-0215	C-5423	3	50352
	60	5-3/16"	19-5/8"	closed	1-5/8" open	20043/ 370-0216	C-5434	3	50601
	25	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	/	C-5626	4	50254
	40	5-3/16"	19-5/8"	1-1/16" open	1-5/8" open	/	C-5637	4	50401
Martec									
	28	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	CL-2200/ CL-2800	C-4301	3	40305
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	CL-2807/ CL-2810	C-4305	3	40454
	32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	SC-2200/ SC-3500	C-4332	3	42511
	130	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	244-0130	C-7413	4	71301
	65	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	244-065	C-7415	4	70655
	65	7-1/2"	14"	2-15/16" open w/step	2-15/16" open w/step	244-064	C-7416	4	70652
	100	7-1/2"	21-7/8"	2-15/16" open w/step	2-15/16" open w/step	244-0100	C-7419	4	71012
Master Spas									
	20	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	/	4CH-20	3	40201
	35	4-15/16"	9-1/4"	handle	1-1/2" Female SAE Thread	/	4CH-935	3	40355
	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	35	6"	8"	semi-circular handle	2" male thread/MPT	/	6CH-352	3	60354
	45	6"	12-3/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-45	3	60451
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	32	7"	8"	semi-circular handle	2" male thread/MPT		7CH-322	3	70321
	60	8"	9-1/4"	semi-circular handle	2" male thread/MPT	/	8CH-66	3	80601
	8	3-7/8"	7"	2-3/16" open	2-3/16" open	/	C-3310 AM	3	30082
	25	4-5/8"	9-3/4"	handle	1-9/10" open	/	C-4324	3	40252
	30	7"	7-1/4"	4-1/8" open	4-1/8" open	Micro Filter	C-7330	3	70302
	40	8"	6-3/4"	4" open w. raised ring	4" open w. raised ring	Micro Filter	C-8341	3	80402
Midwest Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Millennium Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	/	C-4339	3	40403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Moonwater Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Moose Mountain Spas (Canada)									
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
Morgan Spas									
	37	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4637	4	40371
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	37	5"	13-5/16"	2-3/8" open	2-3/8" open	/	C-5635	4	50371
Mountain Meadows Spa									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Mountain Mist Spa									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Mountain Springs Spa									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Mountain Stream Spa									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Muskin									

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
A2300	8	4-5/16"	8"	closed	2-3/16" open	/	C-4600	4	40081
	6	4-5/16"	8"	2-3/16" open	2-3/16" open	/	C-4602	4	40061
195-8712/A3808/ A3818	8	4-5/16"	8"	2-3/16" open	2-3/16" open	/	C-4605	4	40062
A3810/FE-90	10	6-1/4"	8"	2-5/8" open	2-5/8" open	/	C-6610	4	60101
FE-30/FE-40/ A3816/195-8717	16	6-1/4"	8"	2-5/8" open	2-5/8" open	/	C-6616	4	60161
A3821/FD-20/ FD-40/FE-20	20	6-1/4"	8"	2-5/8" open	2-5/8" open	/	C-6620	4	60201
FE-127	55	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	/	C-7455	4	70551
FE-129	120	9-1/4"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	/	C-9499	4	91201
Nahani Spas by htMaax									
	75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	/	C-4975	3	40751
Nemco									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
	25	4-5/8"	11-5/8"	handle	1-3/8" open	/	C-4403	4	40253
	30	4-15/16"	10-3/8"	2-1/8" open	2-1/8" open	/	C-4429	3	40302
	50	5-7/8"	15-5/8"	handle	1-3/8" open	/	C-5405	4	50506
Nordic Hot Tubs									
	35	4-15/16"	9-1/4"	handle	1-1/2" female SAE thread	/	4CH-935	3	40355
	15	4-5/8"	5-3/16"	handle	1-1/2" SAE thread	/	C-4301	3	40154
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
Northwest Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
OpuSpas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
Orca Bay Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Pacific Spas byAber(Canada)									
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
Pageant Spas									
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	/	4CH-21	3	40191
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4305	3	40454

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darlly#
	45	4-15/16"	17-3/4"	2-1/8" open	2-1/8" open	/	C-4449	4	40455
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	60	6"	16-1/8"	semi-circular handle	1-7/8" open w/ slots	/	C-6602	4	60601
PDC Spas									
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	4-15/16"	13-5/16"	2-1/16" open	2-1/16" open	/	C-4326	3	42513
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	4	40352
	25	7"	9-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	/	C-7626	4	70251
	50	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	/	C-7656	4	75020
Pentair Pool Prod									
Standard & High Sq.Ft. Module Filter	4	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	R173321	C-2604	3	20042
Standard Module Filter (MX& High Sq.Ft.Series)	6	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	R173220	C-2606	3	20065
Standard & High Sq.Ft. Module Filter	8	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	R173325	C-2608	4	20082
Standard Module Filter (MX& High Sq.Ft.Series)	12	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	R173326	C-2612	4	20132
Standard & High Sq.Ft. Module Filter	12	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	R173327	C-2613	4	20133
Standard & High Sq.Ft. Module Filter (MX Series)	18	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	R173328	C-2618	4	20181
Dynamic Series RDC-25/Dynamic Series RDC-25s/ DynamicSeries II RTL/RCF25/ DynamicSeries & IV -DFM,DFML	25	4-15/16"	13-5/16"	2-1/16" open	2-1/16" open	R173429	C-4326	3	42513
Dynamic Series IV - DFM , DFML	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	R173431	C-4335	3	40353
Dynamic Series IV - Model DSF	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	R173432	C-4401	4	40352
Dynamic Series IV - Model DSF/Dynamic Series IV -25C	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	R173433	C-4405	4	40505
Dynamic Series I & RDC-25 , Dynamic Series RDC-25s, Dynamic Series III / RTL/RCF-25/ Dynamic Series DFM , DFML	37	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	R173430	C-4637	4	40371
Dynamic Series I & RDC-50 , Dynamic Series RDC-50s, Dynamic Series III / RTL/RCF-50/ Dynamic Series DFM , DFML	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	R173434	C-4950	3	40506

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Dynamic Series V -DSC-75/ Dynamic Series II & III /RTL/RCF-75	75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	R173435	C-4975	3	40751
Dynamic Series V -DSC-100/Dynamic Series II & III /RTL/RCF-100	100	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	R173436	C-4999	3	41002
Quad DE 100	25	6-1/4"	32-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	178656	C-6900	DE	60255
Quad DE 60	15	6-1/4"	20-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	178654	C-6960	DE	60151
Quad DE 80	20	6-1/4"	26-3/4"	3" open w/ molded gasket	3" open w/ molded gasket	178655	C-6980	DE	60202
Commander	25	7"	9-13/16"	3" open	3" open	R173201	C-7425	4	70252
Commander	25	7"	9-13/16"	3" open	3" open	R173208	C-7425	4	70252
Commander	35	7"	9-13/16"	3" open	3" open	R173209	C-7435	4	70352
QuantunCM/ Quantum Stainless Steel/QuantumRPM	43.7	7"	11-13/16"	3" open	3" open	R173212	C-7437	4	74371
CF-40	40	7"	11-1/8"	2-15/16" open	2-15/16" open	R173310	C-7440	4	70404
CFM Filter CF-40/120/	40	7"	11-1/8"	2-15/16" open	2-15/16" open	R173310	C-7440	4	70404
Commander	50	7"	19-5/8"	3" open	3" open	R173203	C-7450	4	75010
Commander	75	7"	19-5/8"	3" open	3" open	R173210	C-7453	4	70753
Commander	75	7"	19-5/8"	3" open	3" open	/	C-7453	4	70753
CF-60	60	7"	19-5/8"	2-15/16" open	2-15/16" open	R173312	C-7460	4	71801
CFW Filter CF-60/180	60	7"	19-5/8"	2-15/16" open	2-15/16" open	R173312	C-7460	4	71801
CFW Filter CFW-67.5/405	67.5	7"	16"	2-15/16" open	2-15/16" open	R173314	C-7467	4	70671
Clean&Clear Plus	60	7"	14-1/8"	3" open	3" open	R173572	C-7469	4	70604
Clean&Clear Plus	80	7"	20"	3" open	3" open	R173573	C-7470	4	70804
Clean&Clear Plus	105	7"	26-1/16"	3" open	3" open	R173576	C-7471	4	71053
Clean&Clear Plus	125	7"	32-1/16"	3" open	3" open	R173578	C-7472	4	71252
Quantum CM/Steel/ Quantun Stainless/ QuantumRPM	87.5	7"	16-1/2"	3" open	3" open	R173218	C-7474	4	70881
Commander	75	7"	29-3/8"	3" open	3" open	R173205	C-7475	4	70757
Clean&Clear Plus	90	7"	20"	3" open	3" open	R173574	C-7476	4	70903
Quantum RPM	90	7"	20"	3" open	3" open	R173211	C-7476	4	70903
CF-80	80	7"	19-5/8"	2-15/16" open	2-15/16" open	R173313	C-7480	4	70801
Sea Horse 300 (Stainless Steel Tank) Sea Horse FSH-300/ (FiberglassTank)	75	7"	18-7/16"	2-5/8" open	2-5/8" open	R173316	C-7491	4	77516
Sea Horse 400 (Stainless Steel Tank) Sea Horse FSH-400/ (FiberglassTank)	100	7"	24-3/4"	2-5/8" open	2-5/8" open	R173317	C-7492	4	71010

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Sea Horse 500 (Stainless Steel Tank) Sea Horse FSH-500/ (FiberglassTank)	125	7"	30-7/16"	2-5/8" open	2-5/8" open	R173318	C-7493	4	71251
CFW Filter CF-105/315	105	7"	25-5/8"	2-15/16" open	2-15/16" open	R173315	C-7496	4	71052
CFW Filter CF-105/315	105	7"	25-5/8"	2-15/16" open	2-15/16" open	R173315	C-7496	4	71052
Quantum RPM/ Quantum CM	125	7"	26"	3" open	3" open	R173219	C-7498	4	71254
Clean&Clear Plus	125	7"	26"	3" open	3" open	R173577	C-7498	4	71254
Commander	100	7"	29-3/8"	3" open	3" open	/	C-7499	4	71003
Commander	25	7"	9-13/16"	3" open	3" open	R173200	C-7625	3	70256
Commander	50	7"	19-5/8"	3" open	3" open	R173409	C-7650	3	70509
Mytilus-BMA-60/ 16060/ MytilusGPM MY60/ Mitra60 GPM60 MYGPM60	60	7-7/8"	14"	3-1/16" open	3-1/16" open	R173298	C-7660	4	70603
Mytilus-B 140 GPM MY 140	60	7-7/8"	14"	3-1/16" open	3-1/16" open	172810	C-7660	4	70603
Commander	75	7"	29-3/8"	3" open	3" open	R173204	C-7675	3	70756
Mytilus FMY 50	50	7-7/8"	11-1/8"	3-1/16" open	3-1/16" open	R173297	C-7678	4	70501
Mytilus-BGPM MytilusMA-80/160/ Mytilus808080 GPMGPM MYMY80/ Mitra80FMY 80/80	80	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	R173299	C-7680	4	70802
Mytilus-BGPM MytilusMA-100/160/ Mytilus100100100 GPMGPM MYMY100/ Mitra100FMY 100/100	100	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	R173300	C-7699	4	71013
DM-75 Filter	75	8-7/8"	19-1/2"	4" open	4" open	R173579	C-8401	4	80754
DM-90 Filter	90	8-7/8"	19-1/2"	4" open	4" open	R173580	C-8402	4	80901
DM-120 Filter	120	8-7/8"	19-1/2"	4" open	4" open	R173581	C-8403	4	81201
DM-180 Filter	180	8-7/8"	39"	4" open	4" open	R173582	C-8405	4	81801
DM-240 Filter	240	8-7/8"	39"	4" open	4" open	R173583	C-8406	4	82401
Predator-50	50	10-1/16"	8-9/16"	6" open	6" open	R173213	C-9405	4	10501
Clean&Clear75/ Predator 75	75	10-1/16"	16-1/8"	6" open	6" open	R173214	C-9407	4	10751
Clean&Clear100/ Predator 100	100	10-1/16"	23-5/8"	6" open	6" open	R173215	C-9410	4	10101
Clean&Clear 125/ Predator 125	125	10-1/16"	23-5/8"	6" open	6" open	173200	C-9412	4	81255
Clean&Clear150/ Predator 150	150	10-1/6"	31-1/8"	6" open	6" open	R173216	C-9415	4	10150
Clean&Clear175/ Predator 175	175	10-1/16"	31-1/8"	6" open	6" open	173201	C-9417	4	91751
Clean&Clear200/ Predator 200	200	10-1/6"	31-1/8"	6" open	6" open	R173217	C-9419	4	10201

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Pentair Pool Prod-American Products Replacements									
Caribe 133/184/368	8	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	57011400	C-2308	3	20081
Caribe 52/104	6	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	57000500	C-2606	3	20065
Commander II (in-line)	20	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	57010200	C-4320	3	40203
Commander II (in-line)	25	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	57010500	C-4325	3	40254
Commander	25	7"	9-13/16"	3" open	3" open	57005700	C-7425	4	70252
Commander	35	7"	9-13/16"	3" open	3" open	57014200	C-7435	4	70352
Quantum CM/ Stainless Steel/RPM	43.7	7"	11-13/16"	3" open	3" open	56627400	C-7437	4	74371
Commander	50	7"	19-5/8"	3" open	3" open	57005800	C-7450	4	75010
Commander	75	7"	19-5/8"	3" open	3" open	57014300	C-7453	4	70753
Quantum-240	60	7"	14-1/8"	3" open	3" open	178569	C-7469	4	70604
Quantum CM/ Stainless Steel/RPM	87.5	7"	16-1/2"	3" open	3" open	56627800	C-7474	4	70881
Commander	75	7"	29-3/8"	3" open	3" open	57007400	C-7475	4	70757
Quantum RPM	90	7"	20"	3" open	3" open	56628300	C-7476	4	70903
Quantum RPM/CM	125	7"	26"	3" open	3" open	56627900	C-7498	4	71254
Commander	100	7"	29-3/8"	3" open	3" open	57014400	C-7499	4	71003
Predator-50	50	10-1/16"	8-9/16"	6" open	6" open	59054000	C-9405	4	10501
Predator-75	75	10-1/6"	16-1/8"	6" open	6" open	59054100	C-9407	4	10751
Predator-100	100	10-1/16"	23-5/8"	6" open	6" open	59054200	C-9410	4	10101
Predator-150	150	10-1/6"	31-1/8"	6" open	6" open	59054300	C-9415	4	10150
Predator-200	200	10-1/6"	31-1/8"	6" open	6" open	59054400	C-9419	4	10201
Pentair Pool Prod-Pac Fab Replacements									
	6	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	174819/ 174865	C-2606	3	20065
Mytilus MY-30/50	23	5-5/16"	13-9/16"	2" open	2" open	174821	C-5623	4	50302
Clean & Clear Plus	60	7"	14-1/8"	3" open	3" open	178569	C-7469	4	70604
Clean & Clear Plus	80	7"	20"	3" open	3" open	178580	C-7470	4	70804
Clean & Clear Plus	105	7"	26-1/16"	3" open	3" open	178584	C-7471	4	71053
Clean & Clear Plus	125	7"	32-1/16"	3" open	3" open	178584	C-7472	4	71252
Clean & Clear Plus	90	7"	20"	3" open	3" open	566283	C-7476	4	70903
SeaFSH-300 (Fiberglass Horse 300(StainlessTank) Steel Tank)	75	7"	18-7/16"	2-5/8" open	2-5/8" open	1722840/ 172877	C-7491	4	77516
SeaTank/ HorseFSH-400 (Fiberglass400 (Stainless SteelTank)	100	7"	24-3/4"	2-5/8" open	2-5/8" open	1722841/ 172878	C-7492	4	71010
SeaTank/ HorseFSH-500 (Fiberglass500 (Stainless SteelTank)	125	7"	30-7/16"	2-5/8" open	2-5/8" open	1722849/ 172887	C-7493	4	71251

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Clean & Clear Plus	125	7"	26"	3" open	3" open	566279	C-7498	4	71254
Mytilus GPMG-PM160/ MytilusMA-60/160/ MytilusMA-60/160/ Mitra60 GPMB 140GPMMY60/ MitraMA-60/ MYB 6014060	60	7-7/8"	14"	3-1/16" open	3-1/16" open	17-2810/ 17-4983/ 174983 & 17-4985/ 17-2810	C-7660	4	70603
Mytilus FMY 50	50	7-7/8"	11-1/8"	3-1/16" open	3-1/16" open	17-4981	C-7678	4	70501
Mytilus FMY 150	150	7-7/8"	33-3/8"	3-1/16" open	3-1/16" open	17-4980	C-7679	4	71502
Mytilus Mitra Mytilus Mytilus 8080BF MYGPM80GP MYGPM80MA-80/ MYMA-80//80/	80	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	17-2811/ 17-4984	C-7680	4	70802
Mytilus Mitra Mytilus Mytilus 100100BF MY100/160GP MGPM100MA-100/ 160//MY//100//	100	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	17-2812/ 17-4985	C-7699	4	71013
Clean and Clear 50	50	10-1/16"	8-9/16"	6" open	6" open	59054000	C-9405	4	10501
Pentair Pool Prod-Pac Fab Replacements									
Clean and Clear 75	75	10-1/6"	16-1/8"	6" open	6" open	59054100	C-9407	4	10751
Clean and Clear 100	100	10-1/16"	23-5/8"	6" open	6" open	59054200	C-9410	4	10101
Clean and Clear 150	150	10-1/6"	31-1/8"	6" open	6" open	59054300	C-9415	4	10150
Clean and Clear 200	200	10-1/6"	31-1/8"	6" open	6" open	59054400	C-9419	4	10201
Pentair Pool Prod-Purex Replacements									
CF-40//CFM120// CFW Filter CF-40/120CF-40/	40	7"	11-1/8"	2-15/16" open	2-15/16" open	07-0658	C-7440	4	70404
CF-60//CFM180// CFW Filter CF-60/180CF-60/	60	7"	19-5/8"	2-15/16" open	2-15/16" open	07-0657	C-7460	4	71801
CFW Filter CFW-67.5/405	67.5	7"	16"	2-15/16" open	2-15/16" open	07-4930	C-7467	4	70671
CF-80//CFW Filter	80	7"	19-5/8"	2-15/16" open	2-15/16" open	07-0656	C-7480	4	70801
CFW Filter	93.5	7"	19"	3" open	3" open	175690	C-7481	4	70941
CFMCFW FilterFilter CF-105/315// CF-105/315	105	7"	25-5/8"	2-15/16" open	2-15/16" open	07-0231	C-7496	4	71052
CF-25	25	7"	11-1/8"	2-15/16" open	2-15/16" open	P-05239	C-7610	3	70255
CF-33/100/66	33	7"	14"	2-15/16" open	2-15/16" open	P-05237	C-7633	3	70331
CF-50/150	50	7"	19-5/8"	2-15/16" open	2-15/16" open	07-0654	C-7651	3	75012
DM-75 Filter	75	8-7/8"	19-1/2"	4" open	4" open	175689	C-8401	4	80754
DM-90 Filter	90	8-7/8"	19-1/2"	4" open	4" open	175652	C-8402	4	80901
DM-120 Filter	120	8-7/8"	19-1/2"	4" open	4" open	175653	C-8403	4	81201
DM-180 Filter	180	8-7/8"	39"	4" open	4" open	178571	C-8405	4	81801
DM-240 Filter	240	8-7/8"	39"	4" open	4" open	178572	C-8406	4	82401

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Pentair Pool Prod-Rainbow Plastics									
Hi Flow cartridge	14.5	2-7/8"	17-1/16"	1-1/16" open	1-1/16" open	17-0051	C-2302	3	20151
Chloro cartridge	8.5	2-7/8"	17-1/16"	2-1/8" open	2-1/8" open	17-0052	C-2303	3	20191
	8	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	17-2055	C-2308	3	20081
Lifeguard CL-9	4	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	17-2006	C-2604	3	20042
Lifeguard CL-9X	6	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	17-2048	C-2606	3	20065
Lifeguard CL-19	8	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	17-2021	C-2608	3	20082
Lifeguard CL-19X	12	2-7/8"	19-1/2"	1-1/16" open	1-1/16" open	17-2047	C-2612	3	20132
Lifeguard CL-29	12	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	17-2010	C-2613	4	20133
Lifeguard CL-29X	18	2-7/8"	29-1/4"	1-1/16" open	1-1/16" open	17-2046	C-2618	4	20181
Lifeguard 12.5	12	2-7/8"	14-11/16"	1-1/16" open	1-1/16" open	17-2056	C-2912	3	20131
Leaf Trap cartridge	25	4-15/16"	13-5/16"	closed s/ raised ring	2-1/8" open	17-2653	C-4321	3	42514
Dynamic// I-ModelSeriesRDC// II&III-RTL/ RCFIV-DFM, DFML	25	4-15/16"	13-5/16"	2-1/16" open	2-1/16" open	17-2327	C-4326	3	42513
Dynamic Series IV-DFM, DFML	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	17-2482	C-4335	3	40353
Dynamic Series IV-Model DSF	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	17-2606	C-4401	3	40352
Dynamic//IV-ModelSeriesDSF IV-DFML-25C	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	17-2464	C-4405	3	40505
Dynamic// I-Model SeriesRDC// II&III-RTL/ RCFIV-DFM, DFML	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	17-2325	C-4625	4	42521
Dynamic// I-Model SeriesRDC// II&III-RTL/ RCFIV-DFM, DFML	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	17-2380	C-4950	3	40506
DynamicRCF// V-DSC-75Series II&III-RTL/	75	4-15/16"	20-1/8"	2-1/8" open	2-1/8" open	17-2632	C-4975	3	40751
DynamicRCF// V-DSC-100Series II&III-RTL/	100	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	17-2633	C-4999	3	41002
	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	R173584	C-5345	3	50451
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	R173600	C-5374	3	50651
	80	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	R173601	C-5397	3	50801
Phoenix Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	/	6CH-941	3	60402
	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	/	6CH-942	3	60403
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Pleatco									
Sunrise Spas	45	6"	8-1/4"	semi-circular handle	1-1/2" male thread/MPT	PPG 50	6CH-49	3	60508
Softsider Spas	12	4-5/8"	4-5/8"	handle	1-9/10" open	/	C-4302	3	40121
Softsider Spas/ Vita Spas	15	4-5/8"	6-3/4"	handle	1-9/10" open	/	C-4303	3	40153
General Foam Plastics	5	4-1/4"	8"	1-3/4" open	1-3/4" open	PGF-5	C-4306	3	40053
General Foam Plastics	7	4-3/4"	8"	1-3/4" open	1-3/4" open	PGF-7	C-4307	3	40071
General Foam Plastics	10	4-3/4"	8"	1-3/4" open	1-3/4" open	PGF-10	C-4309	3	40102
Icon Spas	15	4-1/4"	7-1/8"	semi-circular handle	2" open	PIC15	C-4315	3	40151
Gatsby Spas/Spa Mfg.	25	4-5/8"	9-3/4"	handle	1-9/10" open	PTL 20HS	C-4324	3	40252
Icon Spas	25	4-1/4"	12"	semi-circular handle	2" open	PIC25	C-4329	3	40251
Icon Spas	50	4-1/4"	23-3/4"	semi-circular handle	2-5/16" open w/ molded o-ring pic50		C-4351	3	40501
Icon Spas	60	4-1/4"	23-3/4"	semi-circular handle	2" open	PIC60	C-4360	3	40502
Muskin A2300	8	4-5/16"	8"	closed	2-3/16" open	PMS8T/C	C-4600	3	40081
Muskin 195-8712/ A3808/A3818	8	4-5/16"	8"	2-3/16" open	2-3/16" open	PMS-8	C-4605	3	40062
Cloeco DR-7/F-120	5	4-1/4"	8"	1-15/16" open	1-15/16" open	PC7-120	C-4607	3	40051
Cloeco F-108/F-110/ CR-8	5	4-3/4"	8"	1-1/4" open	2-7/16" open	PC-8	C-4609	3	40054
Cloeco F-350/DR-11/ CF-11/F-112	8	4-3/4"	11"	1-1/4" open	2-7/16" open	PC-11	C-4611	3	40082
CloecoF-850/F-875/ DR-16F-750/F-775/	12	4-3/4"	16"	1-1/4" open	2-7/16" open	PC-16	C-4616	3	40123
Cloeco F-225/F-335/ F-345/DR-18 13	13	4-3/4"	18"	1-1/4" open	2-7/16" open	PC-18	C-4618	3	40133
	50	6"	13-7/16"	molded cone handle	1-9/10" open	PTL 50W-SV	C-6450	3	60502
Muskin A3810/FE-90	10	6-1/4"	8"	2-5/8" open	2-5/8" open	PMS-10	C-6610	4	60101
MuskinFE-40/ 195-8717A3816/FE- 30	16	6-1/4"	8"	2-5/8" open	2-5/8" open	PMS-16	C-6616	4	60161
ColecoF-455/F-460/ DR-17F-355/F-360	23	6-1/2"	17"	3" open	3" open	PC-17	C-6617	4	60231
MuskinFD-40/ FE-20A3821/FD-20	20	6-1/4"	8"	2-5/8" open	2-5/8" open	PMS-20	C-6620	4	60201
ColecoF-375/F-380/ DR-22F-475/F-480	20	6-1/2"	22"	3" open	3" open	PC-22	C-6622	4	60302
Softsider Spas	32	7"	8"	semi-circular handle	1-9/10" open	/	C-7432	4	70322
Vita Spas	40	7"	9-3/4"	semi-circular handle	1-9/10" open	PVT 40	C-7439	4	70403
Vita Spas	50	7"	14-3/4"	semi-circular handle	1-9/10" open	PTL 50XW	C-7449	4	70505
Vita Spas	50	8-1/2"	7-1/4"	1-9/10" open	2-3/8" open w/ slots	PVT 50W	C-8350	3	80502

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Porta Spa									
	5	4-1/4"	8"	1-15/16" open	1-15/16" open	/	C-4607	3	40051
Premier Springwater									
Hercules	6	2-7/8"	9-3/4"	1-1/16" open	1-1/16" open	/	C-2606	3	20065
Hercules 300/ Maxi-Sweep	75	5-3/16"	23-1/4"	1-5/8" open	1-5/8" open	27-056	C-5371	3	53001
Hercules	25	5-3/16"	9"	1-5/8" open	1-5/8" open	27-072	C-5426	4	50252
Hercules	22	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	27-077	C-5622	3	50253
Hercules II	75	7"	19-5/8"	3" open	3" open	27-080	C-7453	4	70753
Hercules II	100	7"	29-3/8"	3" open	3" open	27-084	C-7499	4	71003
Hercules II	25	7"	9-13/16"	3" open	3" open	27-078	C-7625	3	70256
Hercules II	50	7"	19-5/8"	3" open	3" open	27-079	C-7650	3	70509
Premium Leisure									
	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U
Premium Leisure									
	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
QCA									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4995	3	41001
	80	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	/	C-5397	3	50801
Quantum Spas									
	25	4-5/8"	9-3/4"	handle	1-9/10" open	/	C-4324	3	40252
Rec Warehouse									
	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	303575	4CH-19	3	40131
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	378902	6CH-940	3	60401
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	378900	C-4310	3	40101
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	303909/ M-4326	C-4326	3	42513
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	303557	C-4335	3	40353
	37	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	111793/ M-4336	C-4637	4	40371
	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	173584	C-5345	3	50451
	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	303433	C-5374	3	50651
	80	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	303434	C-5397	3	50801
	130	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	111776	C-7413	4	71301
	150	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	111792/ M-7414	C-7414	4	71505

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	65	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	111794	C-7415	4	70655
	50	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	111790/M-7412	C-7417	4	75016
	100	7-1/2"	20-13/16"	2-15/16" open w/step	2-15/16" open w/step	111791/M-7418	C-7418	4	71001
	100	8-1/2"	15-3/16"	2-3/16" open	3-1/8"open	111063	C-8310	3	81001
	150	8-1/2"	22-11/16"	2-3/16" open	3-1/8"open	111064	C-8315	3	81501
	75	9-15/16"	13-5/16"	5-13/16" open	6-1/16" open	111831	C-9401	4	90752
	100	9-15/16"	19-5/16"	5-13/16" open	6-1/16" open	111832	C-9402	4	91002
	150	9-15/16"	25-5/16"	5-13/16" open	6-1/16" open	111833	C-9403	4	91503
Rising Dragon									
	35	4-15/16"	9-1/4"	handle	1-1/2" female SAE thread	/	4CH-935	3	40355
	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
River Valley Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Rocky Mountain Spas									
	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	/	C-5345	3	50451
Rogers Spas									
	22	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	/	C-5622	3	50253
Romanesque									
	22	5-3/16"	11-7/8"	1-1/16" open	1-5/8" open	/	C-5622	3	50253
	27	5-3/16"	14-3/4"	1-1/16" open	1-5/8" open	/	C-5627	3	50271
Royal Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
Rubadub Tub									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Safari Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5601	3	50257
Santa Barbara Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
Santanna									
	25	4-15/16"	9-13/16"	closed	2-1/8" open	/	C-4328	4	40259
	45	4-15/16"	14-7/8"	closed	2-1/8" open	/	C-4345	3	40453

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	45	4-15/16"	17-3/4"	closed	2-1/8" open	/	C-4346	4	40456
	45	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4347	3	40452
	25	4-15/16"	9-13/16"	2-1/8" open	2-1/8" open	/	C-4428	4	42510
	30	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	/	C-4430	4	40304
	45	4-15/16"	17-3/4"	2-1/8" open	2-1/8" open	/	C-4449	4	40455
Saratoga Spas									
	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	/	4CH-19	3	40131
	20	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	20241-238	4CH-20	3	40201
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	20245-238	4CH-21	3	40191
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	20254-238	4CH-24	3	40260
Saratoga Spas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	74407-98	4CH-30	4	40301
	20	4-5/8"	6-3/4"	handle	1-1/4" SAE thread	/	4CH-920	3	40205
	25	4-5/8"	12"	semi-circular handle	1-1/4" SAE thread	74408-99	4CH-950	3	40256
Seahorse Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Seascape Spas									
	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	4	40301
Sequoia Design									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	4	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Seven Seas									
	50	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5300	3	50503
	25	5-11/16"	10-3/8"	closed w/string loop	2-1/8" open	/	C-5601	3	50257
	25	5"	13-5/16"	2-3/8" open	2-3/8" open	/	C-5625	4	50251
Sierra Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Signature Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
Signature Spas									
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	4	40505
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Softsider Spas									
	12	4-5/8"	4-5/8"	handle	1-9/10" open	/	C-4302	3	40121
	15	4-5/8"	6-3/4"	handle	1-9/10" open	/	C-4303	3	40153
	32	7"	8"	semi-circular handle	1-9/10" open	/	C-7432	4	70322

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Softub									
	20	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	/	4CH-20	3	40201
	25	6"	5-1/2"	semi-circular handle	1-1/2" male thread/MPT	90-802	6CH-25	3	60251
Sonfarrel									
	50	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	220142/ 220145 220152/ 220175	C-4305	3	40454
	25	4-15/16"	14-9/16"	2-1/8" open	2-1/8" open	/	C-4308	3	42515
	32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	220022/ 220032/ 220035/ 220042	C-4332	3	42511
	130	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	2301630	C-7413	4	71301
	150	7-1/2"	28-15/16"	2-15/16" open w/step	2-15/16" open w/step	/	C-7414	4	71505
	65	7-1/2"	14-13/16"	2-15/16" open w/step	2-15/16" open w/step	2310650	C-7415	4	70655
	100	7-1/2"	21-7/8"	2-15/16" open w/step	2-15/16" open w/step	2301750	C-7419	4	71012
	6	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	250006	T-380	4	20062
Sonoma Spas									
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	4-5/8"	11-7/8"	2-1/16" open	2-1/16" open	/	C-4325	3	40254
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	100	4-15/16"	26-11/16"	2-1/8" open	2-1/8" open	/	C-4999	3	41002
	25	5-1/2"	11-7/8"	1-15/16" open w/12 concentric holes	2-7/8" open	/	C-5402	4	50256
	40	5-1/2"	17"	1-15/16" open w/12 concentric holes	2-7/8" open	/	C-5404	4	50402
	25	7"	9-13/16"	3" open w/ molded gasket	3" open w/ molded gasket	/	C-7626	4	70251
South Pacific Spas									
	40	5-3/16"	10-3/4"	bar handle	2" male thread/MPT	/	5CH-402	3	50403
	25	4-15/16"	13-5/16"	closed s/ raised ring	2-1/8" open	/	C-4321	3	42514
Spa Crest									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Spa Manufacturers Inc.									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4324	3	40252
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
Spa-In-A-Box									
	3.5	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-2305	3	20035

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Spas Direct		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	45	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	6CH-940	3	60401
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Speck Pumps									
AC2515	150	8-15/16"	24-7/16"	3-3/4" open	3-3/4" open	18220R0100	C-8415	4	81503
AC2507	75	8-15/16"	15"	3-3/4" open	3-3/4" open	18219R0100	C-8474	4	80756
AC2510	100	8-15/16"	19-11/16"	3-3/4" open	3-3/4" open	18112R0100	C-8499	4	81006
Splash Tub									
ST-230/315	16	4-15/16"	5-1/2"	closed	1-9/10" open	/	C-4316	3	40161
ST-230/315	15	6-3/8"	5-1/8"	closed	3-3/4" open w/step	/	C-6324	3	60152
Sta-Rite									
TX-15	15	4-1/2"	9-3/4"	1-1/16" open	1-1/16" open	/	C-4610	4	40063
PRC 50	50	7"	14-3/16"	3" open w/ molded gasket	3" open w/ molded gasket	25200-0150S	C-7447	4	70517
PRC 75	75	7"	19-5/8"	3" open w/ molded gasket	3" open w/ molded gasket	25200-0175S	C-7477	4	77517
Posi-Clean PCB25B/TXC25/ TXC25B/RCP25	25	7"	9-13/16"	3" open	3" open	24240-0016/ WC108-140SI	C-7625	3	70256
Posi-CleanTXC50/ TXC50B/FCP1100/ TXC100FCP50/ FCB25B	50	7"	19-3/8"	3" open	3" open	24241-0016/ WC108-141SI	C-7652	4	70507
Posi-Clean FCP75/ TXC75	75	7"	29-1/8"	3" open	3" open	24240-0016 & 24241-0016	C-7677	4	70755
Posi-Clear PXC-95	90	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	25230-0095S	C-8409	4	80951
Posi-Clear PXC-75	75	8-15/16"	17-3/8"	4" open w/ molded gasket	4" open w/ molded gasket	25230-0075S	C-8411	4	80755
Sta-Rite									
Posi-Clear PXC-125	125	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	25230-0125S	C-8413	4	81253
Posi-Clear PXC-150	150	8-15/16"	28-3/16"	4" open w/ molded gasket	4" open w/ molded gasket	25230-0150S	C-8416	4	81504
Swimquip 108/216/72	6	2-3/4"	9-3/4"	1-1/16" open	1-1/16" open	24101-19	T-380	4	20062
Posi-FloII 100GPM-TX/100TX/ 100TXR/ II PTM100/ T-100TX/T-100TXR	102	8-11/16"	25-11/16"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108-58S2X	UHD-SR100	4	81003
Posi-Flo T-135TX	135	8-11/16"	34-1/2"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108-59S2X	UHD-SR135	4	81351
Posi-FloIPTM135/ 135GPM-TX/135TX/ 135TXR	137	8-11/16"	31-1/4"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108-70S2X	UHD-SR137	4	81372
Posi-Flo 35GPM-TX /35TX/35TXR	37	8-11/16"	9-3/4"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108-55S2X	UHD-SR35	4	80371

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Posi-Flo 50GPM-TX/ 50TX/50TXR/T-50TX/ T-50TXR-II PTM50	52	8-11/16"	13-5/16"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108- 56S2X	UHD- SR50	4	80506
Posi-Flo 70GPM-TX/70TX /70TXR/ 70GPM-TX/ 70TX/70TXR	72	8-11/16"	18-3/16"	4-3/16" open	4-3/16" open w/12 concentric slots	WC108- 57S2X	UHD- SR70	4	80701
Streamline Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Strong Industries		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	20	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	4CH-925	3	42524
Sun Coast Spas		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	35	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Sun Ray Spas(Cana- da)	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
Sun West Spas						/	C-4950	3	40506
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
Sunbelt Spas						/	6CH-940	3	60401
	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	/	6CH-941	3	60402
	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	/	6CH-942	3	60403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	75	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	/	C-4970	3	40752
	75	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
Suncountry Spas		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Sundance Spas		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	75	7"	19-5/8"	3" open w/mold- ed gasket	3" open w/mold- ed gasket	6540-484	C-7477	4	77517
	35	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-486	4CH-35	3	40351
Del Sol Redondo/ Del Sol Hermosa	40	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-723	5CH-402	3	50403
	47	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	373043	6CH-47	3	60471
Sundance Spas		4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
	90	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-487	7CH-90	3	70902
	95	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	2540-381	8CH-102	3	80952
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-497	C-4305	3	40454
	35	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6000-134	C-4401	4	40352

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	40	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-495	C-4440	4	40402
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	6540-471	C-4950	3	40506
	75	7-1/2"	17-3/4"	castle	2-1/2" open w/ beveled edge	6540-483	C-7370	3	77514
	65	7-1/2"	14-3/4"	castle	2-1/16" open	6540-480	C-7465	3	70653
	65	7-1/2"	14-3/4"	castle	2-5/8" open	6540-481	C-7466	3	70654
	120	8-7/16"	18-1/8"	castle	2-1/2" open w/ beveled edge	6540-482	C-8320	3	81251
	125	8-7/16"	18"	closed w/3-step edge	2-1/2" open w/ beveled edge	6540-490	C-8325	3	81254
Universal Length	125	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	6540-488	C-8326	3	81252
	125	8-7/16"	19"	1-1/2" male slip fitting	2-1/2" open w/ beveled edge	6540-488	C-8327	3	81257
MircoClean	80	8-7/16"	14"	closed w/2" SAE thread	2-1/2" open w/ beveled edge	6540-501	C-8380	3	80801
Sunrise Spas									
	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U
	25	6"	5-1/2"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-25	3	60251
	50	6"	8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-49	3	60508
Sunrise Spas									
	75	6"	19-3/4"	semi-circular handle	1-1/2" male thread/MPT				
	25	6"	5-1/2"	semi-circular handle	1-1/2" SAE thread	/	6CH-924	3	60257
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	32	7"	8"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-32	3	70323
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	3	40505
Sunset Spas	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open				
Superior Spas	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAEthread				
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	/	6CH-941	3	60402
	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	/	6CH-942	3	60403
Avalon	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	/	C-4339	3	40403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Thermo Spas of Connecticut									
	25	6"	7"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-26	3	60252
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	28	4-15/16"	14-7/8"	2-1/8" open	2-1/8" open	/	C-4301	3	40305
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	/	C-4401	3	40352
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	3	40505
Tiara Spas									
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Tiger River									
	65	8-1/2"	10-1/2"	3" open	3" open	31114	C-8465	3	80651
Tuff Spa									
	40	5-3/16"	10-3/4"	bar handle	2" male thread/MPT	/	5CH-402	3	50403
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Unicel									
13 sq.ft. top load	13	4-5/8"	4-5/8"	handle	1-1/2" male thread/MPT	/	4CH-19		40131
20 sq.ft. top load	20	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	/	4CH-20	3	40201
19 sq.ft. top load	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	/	4CH-21	3	40191
25 sq.ft.	25	4-15/16"	6-5/8"	2-1/8" open	1-1/2" male thread/MPT	/	4CH-22	3	40257
25 sq.ft.	25	4-15/16"	6-5/8"	closed	1-1/2" male thread/MPT	/	4CH-23	3	40258
25 sq.ft. top load	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
30 sq.ft. top load	30	4-5/8"	11-7/8"	handle	1-1/2" male thread/MPT	/	4CH-30	3	40301
35 sq.ft. top load	35	4-5/8"	16"	handle	1-1/2" male thread/MPT	/	4CH-35	3	40351
50 sq.ft. top load	50	4-5/8"	14-3/4"	handle	1-1/2" male thread/MPT	/	4CH-50	3	40503
65 sq.ft. top load	65	4-5/8"	19-5/8"	handle	1-1/2" male thread/MPT	/	4CH-65	3	40651
20 sq.ft.	20	4-5/8"	6-3/4"	handle	1-1/4" SAE thread	/	4CH-920	3	40205
40 sq.ft. top load	40	4-5/8"	15"	semi-circular handle	1-1/4" SAE thread	/	4CH-940	3	40401
50 sq.ft.	50	4-15/16"	13-1/2"	S handle	1-1/2" Female SAE Thread	/	4CH-949	3	40508U
25 sq.ft. top load	25	4-5/8"	12"	semi-circular handle	1-1/4" SAE thread	/	4CH-950	3	40256
20 sq.ft.	20	5-3/8"	7"	closed	3" male thread/MPT	/	5CH-203	3	50201

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
35 sq.ft.	35	5-5/8"	8"	semi-circular handle	1-1/2" male thread/MPT	/	5CH-35	3	50353
35 sq.ft. top load	35	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	/	5CH-352	3	50351
40 sq.ft.	40	5-3/16"	10-3/4"	bar handle	2" male thread/MPT	/	5CH-402	3	50403
45 sq.ft.	45	5-5/16"	10"	2-1/8" open	1-1/2" male thread/MPT	/	5CH-45	3	50452
50 sq.ft. top load	50	5-3/16"	12-1/2"	bar handle	2" male thread/MPT	/	5CH-502	3	50501
25 sq.ft. top load	25	6"	5-1/2"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-25	3	60251
25 sq.ft. top load	25	6"	7"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-26	3	60252
35 sq.ft. top load	35	6"	9-7/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-35	3	60351
35 sq.ft. skim filter	35	6"	8"	semi-circular handle	2" male thread/MPT	/	6CH-352	3	60354
45 sq.ft. top load	45	6"	12-3/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-45	3	60451
47 sq.ft. top load	47	6"	9-1/8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-47	3	60471
45 sq.ft.	50	6"	8"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-49	3	60508
50 sq.ft. top load	50	6"	13-7/16"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-50	3	60501
50 sq.ft.	50	6-3/4"	8"	semi-circular handle	2" male thread/MPT	/	6CH-502	3	60506
60 sq.ft. top load	60	6"	16-1/4"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-60	3	60602
75 sq.ft. top load	75	6"	19-3/4"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-75	3	60752
45 sq.ft. front access	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
45 sq.ft. front access	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	/	6CH-941	3	60402
45 sq.ft. front access	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	/	6CH-942	3	60403
60 sq.ft. top load/ front access	60	6-3/4"	15-1/2"	open w/slots	2" SAE thread	/	6CH-961	3	60605
32 sq.ft. top load	32	7"	8"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-32	3	70323
32 sq.ft. top load	32	7"	8"	semi-circular handle	2" male thread/MPT	/	7CH-322	3	70321
40 sq.ft. top load	40	7"	9-3/4"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-40	3	70402
40 sq.ft. top load	40	7"	9-3/4"	semi-circular handle	2" male thread/MPT	/	7CH-402	3	70405
50 sq.ft. top load	50	7"	14-3/4"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-50	3	70506
50 sq.ft. top load	50	7"	14-3/4"	semi-circular handle	2" male thread/MPT	/	7CH-502	3	70503
52 sq.ft. top load	52	7"	10-1/2"	semi-circular handle	2" male thread/MPT	/	7CH-552	3	70521
75 sq.ft. top load	75	7"	14-3/4"	semi-circular handle	2" male thread/MPT	/	7CH-752	3	70751

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
90 sq.ft. top load	90	7"	19"	2-1/2" open w/ beveled edge	1-1/2" male thread/MPT	/	7CH-90	3	70902
52 sq.ft. top load	52	7"	10-1/2"	semi-circular handle	1-1/2" SAE thread	/	7CH-975	3	70522
95 sq.ft.	95	8"	15-1/2"	semi-circular handle	2" male thread/MPT	/	8CH-102	3	80952
120 sq.ft. top load	120	8"	18"	injection molded knob handle	2" male thread/MPT	/	8CH-202	3	81203
50 sq.ft. top load	50	8-1/2"	7-1/4"	semi-circular handle	2" male thread/MPT	/	8CH-502	3	80504
60 sq.ft. top load	60	8"	11-5/8"	semi-circular handle	2" male thread/MPT	/	8CH-60	3	80602
60 sq.ft. top load	60	8"	9-1/4"	semi-circular handle	2" male thread/MPT	/	8CH-66	3	80601
85 sq.ft.	85	8"	12-3/4"	injection molded knob handle	2" male thread/MPT	/	8CH-852	3	80851
45 sq.ft. top load	50	8"	6"	semi-circular handle	2" SAE thread	/	8CH-950	3	80503
US Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
US Tooling & Spa									
	120	8"	18"	injection molded knob handle	2" male thread/MPT	/	8CH-202	3	81203
	85	8"	12-3/4"	injection molded knob handle	2" male thread/MPT	/	8CH-852	3	80851
	10	4-1/4"	4"	2-1/16" open	2-1/16" open	/	C-4310	3	40101
	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	/	C-4405	3	40505
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Viking Spas									
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	/	6CH-940	3	60401
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	32	4-15/16"	11-7/8"	2-1/8" open	2-1/8" open	/	C-4332	3	42511
Vita Spas									
	20	4-5/8"	6-3/4"	handle	1-1/2" male thread/MPT	PVT 25	4CH-20	3	40201
	19	4-5/8"	8"	handle	1-1/2" male thread/MPT	PVT 25N	4CH-21	3	40191
	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	PWW 50	6CH-940	3	60401
	40	7"	9-3/4"	semi-circular handle	1-1/2" male thread/MPT	PVT 40	7CH-40	3	70402
	50	7"	14-3/4"	semi-circular handle	1-1/2" male thread/MPT	PVT 50	7CH-50	3	70506
	50	8-1/2"	7-1/4"	semi-circular handle	2" male thread/MPT	PVT 50WH	8CH-502	3	80504
	15	4-5/8"	6-3/4"	handle	1-9/10" open	PVT 25	C-4303	3	40153
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	PRB 50IN	C-4950	3	40506
	40	7"	9-3/4"	semi-circular handle	1-9/10" open	PVT 40	C-7439	4	70403

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
	50	7"	41702	semi-circular handle	1-9/10" open	PVT50	C-7449	4	70505
	50	7"	19-5/8"	3" open	3" open		C-7450	4	75010
	50	8-1/2"	7-1/4"	1-9/10" open	2-3/8" open w/ slots	PVT 50W	C-8350	3	80502
Warm Springs Spa									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4625	3	42521
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Waterco USA									
Trimline C-25	25	7-1/4"	9-7/8"	3-1/16" open w/ step	3-1/16" open w/ step	62040	C-7427	4	70257
Trimline CC-50	50	7-1/4"	14-5/8"	3-1/16" open w/ step	3-1/16" open w/ step	62048	C-7448	4	75013
Trimline CC-150	150	7-1/4"	29-1/2"	3-1/16" open w/ step	3-1/16" open w/ step	62150	C-7454	4	71507
Trimline C-50/100	50	7-1/4"	19-5/8"	3-1/16" open w/ step	3-1/16" open w/ step	62042	C-7457	4	75015
Trimline CC-75	75	7-1/4"	19-5/8"	3-1/16" open w/ step	3-1/16" open w/ step	62049	C-7473	4	77511
Trimline C-75	75	7-1/4"	29-1/2"	3-1/16" open w/ step	3-1/16" open w/ step	62044	C-7478	4	77513
Trimline CC-100	100	7-1/4"	29-1/2"	3-1/16" open w/ step	3-1/16" open w/ step	62050	C-7497	4	71007
Full Flow	100	12-1/16"	8-1/2"	3-1/16" open	3-1/16" open	62281	C-9490	4	10102
Full Flow	200	12-1/16"	17"	3-1/16" open	3-1/16" open	62283	C-9498	4	10203
Waters Edge Spas									
	32	7"	8"	semi-circular handle	1-1/2" male thread/MPT	/	7CH-32	3	70323
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
Waterway Plastics									
Teleweir Skim Filter	15	4-5/8"	5-3/16"	handle	1-1/2" SAE thread	817-0020	4CH-15	3	40154
Teleweir Skim Filter	25	4-15/16"	13-1/2"	semi-circular handle	1-1/2" SAE thread	817-4025	4CH-926	3	42522
Teleweir Skim Filter	35	4-15/16"	9-1/4"	handle	1-1/2" female SAE thread	817-4035	4CH-935	3	40355
Front Access Skim Filter	50	4-15/16"	13-1/2"	S handle	1-1/2" female SAE thread	817-4050	4CH-949	3	40508U
Front Access Skim Filter	45	6"	8-1/4"	semi-circular handle	1-1/2" SAE thread	817-0050	6CH-940	3	60401
Front Access Skim Filter	45	6"	8-1/4"	semi-circular handle	1-3/4" male slip fitting	817-0011	6CH-941	3	60402
Front Access Skim Filter	45	6"	8-1/4"	1-3/4" open	1-1/2" SAE thread	817-0012	6CH-942	3	60403
Skim filter 10sq.ft.	10	4-1/4"	4"	2-1/16" open	2-1/16" open	817-0010	C-4310	3	40101
Top load(in-line) 25 sq.ft.	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	817-2500/M-4326	C-4326	3	42513
Top load(in-line) 35 sq.ft.	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	817-3501	C-4335	3	40353
Top load(in-line) 40 sq.ft.	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	817-0040	C-4339	3	40403

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darilly#
Skim filter	35	4-15/16"	4-5/8"	2-1/8" open	2-1/8" open	817-3510	C-4401	3	40352
Skim filter	50	4-15/16"	6-5/8"	2-1/8" open	2-1/8" open	817-5010	C-4405	3	40505
Top load(in-line) 50 sq.ft.	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	817-5000	C-4950	3	40506
Top load(in-line) 75 sq.ft.	75	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	817-7500	C-4970	3	40752
Top load(in-line) 95 sq.ft.	95	4-15/16"	23-5/8"	2-1/8" open	2-1/8" open	517-1000	C-4995	3	41001
45 sq.ft top load	45	5-5/16"	10-1/8"	2-1/8" open	2-1/8" open	817-0014	C-5345	3	50451
Top load(in-line) 135 sq.ft.	135	5-5/16"	30-1/8"	2-1/8" open	2-1/8" open	817-0147	C-5351	3	51351
75 sq.ft top load	65	5-5/16"	14-13/16"	2-1/8" open	2-1/8" open	817-0015	C-5374	3	50651
Top load(in-line) 100	100	5-5/16"	21-5/16"	2-1/8" open	2-1/8" open	817-0098	C-5396	3	51002
100 sq.ft top load	80	5-5/16"	17-13/16"	2-1/8" open	2-1/8" open	817-0016	C-5397	3	50801
Dyna-Flo XL	100	6-9/16"	17-13/16"	2-3/8" open	2-3/8" open	817-0019	C-6310	3	61001
Dyna-Flo XL	75	6-9/16"	13-5/16"	2-3/8" open	2-3/8" open	817-0018	C-6375	3	60755
Crystal Water 325 sq.ft	80	7"	20"	3" open	3" open	817-0081	C-7470	4	70804
Crystal Water 425 sq.ft	105	7"	26-1/16"	3" open	3" open	817-0106	C-7471	4	71053
Crystal Water 525 sq.ft/600 sq.ft	125	7"	32-1/16"	3" open	3" open	817-0131/ 817-0143	C-7472	4	71252
Clearwater II100/ Pro Clean 100	90	8-15/16"	17-3/8"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0100N/ 817-0100P	C-8409	4	80951
Clearwater II 75/Pro Clean 75	75	8-15/16"	17-3/8"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0075N/ 817-0075P	C-8411	4	80755
Clearwater II 125/ Pro Clean 125	120	8-15/16"	23-5/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0125N	C-8412	4	81202
Pro Clean 125	125	8-15/16"	28-3/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0125P	C-8413	4	81253
Clearwater II 150/ Pro Clean 150	150	8-15/16"	23-5/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0150N	C-8414	4	81502
Pro Clean 150	150	8-15/16"	28-3/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0150P	C-8416	4	81504
Pro Clean 175	175	8-15/16"	28-3/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0175P	C-8417	4	81756
Clearwater II 200	200	8-15/16"	23-5/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0200N	C-8419	4	82001
Pro Clean 200	200	8-15/16"	28-3/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0200P	C-8420	4	82002
Clearwater II 175 sq.ft.	175	8-15/16"	23-5/16"	4" open w/mold- ed gasket	4" open w/mold- ed gasket	817-0175N	C-8421	4	81758
Clearwater 75 sq.ft.	75	9-15/16"	13-5/16"	5-13/16" open	6-1/16" open	817-0075	C-9401	4	90752
Clearwater 100 sq.ft.	100	9-15/16"	19-5/16"	5-13/16" open	6-1/16" open	817-0100	C-9402	4	91002
Clearwater 150 sq.ft.	150	9-15/16"	25-5/16"	5-13/16" open	6-1/16" open	817-0150	C-9403	4	91503
Clearwater 200 sq.ft.	200	9-15/16"	25-5/16"	5-13/16" open	6-1/16" open	817-0200	C-9404	4	92002
	150	9-15/16"	23-5/16"	5-13/16" open	6-1/16" open	817-1150M	C-9450 AM	4	91504

Manufacturer Cartridge listing

	Sq.ft	OD	Length	Top	Bottom	OEM P/N	Unicel	Media	Darby#
	200	9-15/16"	23-5/16"	5-13/16" open	6-1/16" open	817-1200M	C-9489 AM	4	92003
Wet Institute									
Modufilter M-165/66/330	6	2-5/8"	14-11/16"	1-1/16" open	1-1/16" open	32050502	C-2601	3	20061
Modufilter M-165/66/330	6	2-7/8"	14-11/16"	1-1/16" open	1-1/16" open	32050201	C-2607	3	20066
Modufilter M-180	60	7-7/8"	14"	3-1/16" open	3-1/16" open	32050203	C-7660	4	70603
Modufilter M-400	133	7-7/8"	26-1/8"	3-1/16" open	3-1/16" open	32050205	C-7688	4	74001
Modufilter M-300	100	7-7/8"	22-1/8"	3-1/16" open	3-1/16" open	32050204	C-7699	4	71013
White Springs Spas									
	25	4-5/8"	9-3/4"	handle	1-1/2" male thread/MPT	/	4CH-24	3	40260
Wild Water									
	60	6"	16-1/4"	semi-circular handle	1-1/2" male thread/MPT	/	6CH-60	3	60602
Wind River Spas									
	35	4-15/16"	9-1/4"	2-1/8" open	2-1/8" open	/	C-4335	3	40353
	40	4-15/16"	11-1/4"	2-1/8" open	2-1/8" open	/	C-4339	3	40403
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506
Zone Spas									
	25	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4326	3	42513
	50	4-15/16"	13-5/16"	2-1/8" open	2-1/8" open	/	C-4950	3	40506



USA OFFICES


Darlly Filtration Inc

 14225 Telephone Avenue#A,Chino,CA 91710


 **909 591 7999**

 sales@darllyfilter.com

Darlly Europe

 Unit 18 Cedar Court,Halesfield 17,Telford, TF7 4PF,United Kingdom

 **+44 1952 580500**

 info@darlly.eu
www.darlly.eu

China

 Xingdeng Industrial Park,Fuyang,Zhejiang Province,311404

 **+86 571 63210677**

 sales@darllyfiltration.com